



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131750

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	P3358-01	OK-02-07242024	1	100.05	0.00	07/26/2024	11:00
2	P3362-02	VNJ-220	1	100.03	0.00	07/26/2024	11:08
3	P3362-04	72-11978	1	100.04	0.00	07/26/2024	11:15
4	P3363-01	EO-01-072524	1	100.07	0.00	07/26/2024	11:22
5	P3367-01	TR-06-07252024	1	100.02	0.00	07/26/2024	11:30
6	P3376-04	WC-6-Full Waste Clas	1	100.02	0.00	07/26/2024	11:37
7	P3376-11	WC-7-Full Waste Clas	1	100.02	0.00	07/26/2024	11:45
8	P3376-14	WC-8-Full Waste Clas	1	100.06	0.00	07/26/2024	11:52
9	P3376-14DUP	WC-8-Full Waste Clas	1	100.06	0.00	07/26/2024	12:00

WORKLIST(Hardcopy Internal Chain)

6131750

WorkList Name : PF-7-25

WorkList ID : 182100

Department : Wet-Chemistry

Date : 07-25-2024 13:11:00

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P3362-02	VNU-220	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	07/25/2024	9095B
P3362-04	72-11978	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	07/25/2024	9095B
P3376-04	WC-6-Full Waste Class	Solid	Paint Filter	Cool 4 deg C	PSEG03	K11	07/25/2024	9095B
P3376-11	WC-7-Full Waste Class	Solid	Paint Filter	Cool 4 deg C	PSEG03	K11	07/25/2024	9095B
P3376-14	WC-8-Full Waste Class	Solid	Paint Filter	Cool 4 deg C	PSEG03	K11	07/25/2024	9095B
P3358-01	OK-02-07242024	Solid	Paint Filter	Cool 4 deg C	PSEG05	N21	07/24/2024	9095B
P3363-01	EO-01-072524	Solid	Paint Filter	Cool 4 deg C	PSEG05	D11	07/25/2024	9095B
P3367-01	TR-06-07252024	Solid	Paint Filter	Cool 4 deg C	PSEG05	D11	07/25/2024	9095B

Date/Time 07/26/2024 09:00
 Raw Sample Received by: RY CWC
 Raw Sample Relinquished by: JH CWC

Date/Time 07/26/2024 12:15
 Raw Sample Received by: JH CWC
 Raw Sample Relinquished by: RY CWC