



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Niha

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB131788

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P3372-01	OR-03-07252024	1	100.05	0.00	07/30/2024	13:50
2	P3372-01DUP	OR-03-07252024DUP	1	100.07	0.00	07/30/2024	13:58
3	P3387-02	WC-9-Full Waste Clas	1	100.02	0.00	07/30/2024	14:06
4	P3387-05	WC-10-Full Waste Cla	1	100.01	0.00	07/30/2024	14:14
5	P3402-01	VNJ-222	1	100.00	0.00	07/30/2024	14:22
6	P3402-03	355	1	100.03	0.00	07/30/2024	14:30

LB131788

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-7-30 WorkList ID : 182192 Department : Wet-Chemistry Date : 07-30-2024 10:17:28

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P3372-01	OR-03-07252024	Solid	Paint Filter	Cool 4 deg C	PSEG05	D21	07/26/2024	9095B
P3387-02	WC-9-Full Waste Class	Solid	Paint Filter	Cool 4 deg C	PSEG03	K11	07/26/2024	9095B
P3387-05	WC-10-Full Waste Class	Solid	Paint Filter	Cool 4 deg C	PSEG03	K11	07/26/2024	9095B
P3402-01	VNJ-222	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	07/30/2024	9095B
P3402-03	355	Solid	Paint Filter	Cool 4 deg C	PSEG03	N31	07/30/2024	9095B

Date/Time 07.30.2024, 13:30
Raw Sample Received by: NF(wc)
Raw Sample Relinquished by: [Signature]

Date/Time 07.30.2024, 14:45
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: NF(wc)