

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 8/2/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 08/01/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:14
Out Date: 08/02/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131831

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P3431-01	DA053P-SD02-073024-00	1	1.15	8.78	9.93	8.03	78.4	
P3431-02	SS055P-SD03-073024-00	2	1.15	8.82	9.97	4.31	35.8	
P3431-03	FT011P-SD06-073024-00	3	1.15	8.81	9.96	3.05	21.6	
P3431-04	AT029P-SD06-073024-00	4	1.12	8.72	9.84	5.3	47.9	
P3431-05	FT011P-SD03-073024-00	5	1.19	8.42	9.61	3.48	27.2	
P3431-06	AT029P-SD05-073024-00	6	1.19	8.53	9.72	4.54	39.3	
P3432-01	ST009P-SD01-072924-00	7	1.12	8.70	9.82	7.71	75.7	
P3432-02	ST009P-SD02-072924-00	8	1.12	8.60	9.72	7.11	69.7	
P3432-03	AT054P-SD02-072924-00	9	1.15	8.82	9.97	4.72	40.5	
P3432-04	FT013P-SD05-072924-00	10	1.14	8.81	9.95	7.94	77.2	
P3432-05	SS055P-SD01-072924-00	11	1.15	8.83	9.98	6.9	65.1	
P3432-06	FT011P-SD02-072924-00	12	1.17	8.59	9.76	6.42	61.1	
P3432-07	WP021P-SD02-072924-00	13	1.15	8.83	9.98	8.21	80.0	
P3442-01	CL-02-080124	14	1.18	8.78	9.96	9.11	90.3	
P3442-02	CL-02-080124-E2	15	1.17	8.62	9.79	9.1	92.0	
P3448-01	TP1	16	1.15	8.44	9.59	8.82	90.9	
P3448-03	TP2	17	1.17	8.60	9.77	8.84	89.2	
P3448-05	TP3	18	1.15	8.80	9.95	8.95	88.6	
P3448-07	TP4	19	1.14	8.58	9.72	8.76	88.8	
P3448-09	TP5	20	1.16	8.48	9.64	8.61	87.9	
P3448-11	TP6	21	1.16	8.80	9.96	9.07	89.9	
P3448-13	TP7	22	1.18	8.81	9.99	9.36	92.8	
P3448-15	LINNETT-CONC	23	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P3448-17	ORIENT-CONC	24	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P3448-19	EVERGREEN-CONC	25	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P3448-21	TP5-4FT-GRAB	26	1.17	8.75	9.92	8.65	85.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$