



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 8/12/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:30
In Date: 08/10/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:40
Out Date: 08/11/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB131937

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P3502-02	DCXT6	1	1.18	8.76	9.94	9.06	90.0	
P3502-03	DCXT7	2	1.12	8.46	9.58	8.46	86.8	
P3502-04	DCXT8	3	1.19	8.43	9.62	8.9	91.5	
P3502-05	DCXT9	4	1.14	8.48	9.62	8.75	89.7	
P3502-06	DCXU0	5	1.15	8.76	9.91	8.91	88.6	
P3502-07	DCXU7	6	1.15	8.45	9.6	8.5	87.0	
P3502-08	DCXU8	7	1.16	8.47	9.63	8.75	89.6	
P3502-09	DCXS8	8	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P3502-10	DCXS9	9	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P3502-12	DCXU1	10	1.18	8.79	9.97	9.00	89.0	
P3502-13	DCXU2	11	1.19	8.55	9.74	8.57	86.3	
P3502-14	DCXU5	12	1.18	8.72	9.9	9.28	92.9	
P3502-15	DCXU6	13	1.15	8.43	9.58	8.77	90.4	
P3502-16	DCXU9	14	1.14	8.69	9.83	9.11	91.7	
P3502-17	DCXU9MS	15	1.14	8.69	9.83	9.11	91.7	
P3502-18	DCXU9MSD	16	1.14	8.69	9.83	9.11	91.7	
P3502-19	DCXV1	17	1.18	8.57	9.75	8.78	88.7	
P3502-20	DCXV4	18	1.18	8.44	9.62	8.8	90.3	
P3502-21	DCXV5	19	1.16	8.60	9.76	8.91	90.1	
P3502-22	DCXV8	20	1.16	8.65	9.81	9.13	92.1	
P3502-23	DCXW0	21	1.12	8.71	9.83	8.92	89.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$