

# PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 8/15/2024

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:30  
In Date: 08/14/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:17  
Out Date: 08/15/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID- OVEN

QC:LB132003

| Lab ID   | Client SampleID      | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments   |
|----------|----------------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|------------|
| P3600-01 | VCPS-B2-081324-2-4   | 1      | 1.16            | 8.48          | 9.64                     | 8.56                       | 87.3    |            |
| P3600-02 | VCPS-B2-081324-0-12  | 2      | 1.17            | 8.60          | 9.77                     | 8.27                       | 82.6    |            |
| P3600-03 | VCPS-B3-081324-0-2   | 3      | 1.15            | 8.42          | 9.57                     | 8.2                        | 83.7    |            |
| P3600-04 | VCPS-B3-081324-0-10  | 4      | 1.15            | 8.40          | 9.55                     | 8.1                        | 82.7    |            |
| P3600-05 | VCPS-B3-081324-16-18 | 5      | 1.15            | 8.35          | 9.5                      | 7.74                       | 78.9    |            |
| P3600-06 | VCPS-B3-081324-10-18 | 6      | 1.13            | 8.68          | 9.81                     | 8.1                        | 80.3    |            |
| P3602-01 | PCB-080924-01        | 7      | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | caluk      |
| P3602-02 | PCB-080924-02        | 8      | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | caluk      |
| P3602-03 | PCB-080924-03        | 9      | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | caluk      |
| P3602-04 | PCB-080924-04        | 10     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | caluk      |
| P3602-05 | PCB-080924-05        | 11     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | caluk      |
| P3602-06 | PCB-080924-06        | 12     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | caluk      |
| P3602-07 | PCB-080924-07        | 13     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | caluk      |
| P3607-01 | NB-08-08142024       | 14     | 1.15            | 8.84          | 9.99                     | 8.76                       | 86.1    |            |
| P3607-02 | NB-08-08142024-E2    | 15     | 1.12            | 8.86          | 9.98                     | 8.66                       | 85.1    |            |
| P3611-03 | 260                  | 16     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oil sample |
| P3611-04 | 261                  | 17     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oil sample |
| P3611-05 | 262                  | 18     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oil sample |
| P3611-06 | 264                  | 19     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | debris     |
| P3611-08 | 253                  | 20     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oil sample |
| P3612-01 | 409                  | 21     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | debris     |
| P3613-01 | TRE-1802             | 22     | 1.15            | 8.55          | 9.7                      | 8.9                        | 90.6    |            |
| P3613-02 | TRE-1802             | 23     | 1.15            | 8.55          | 9.7                      | 8.9                        | 90.6    |            |
| P3614-01 | OK-01-081424         | 24     | 1.12            | 8.75          | 9.87                     | 9.32                       | 93.7    |            |
| P3614-02 | OK-01-081424-E2      | 25     | 1.14            | 8.63          | 9.77                     | 9.24                       | 93.9    |            |
| P3615-01 | HR-01-081424         | 26     | 1.15            | 8.82          | 9.97                     | 9.23                       | 91.6    |            |
| P3615-02 | HR-01-081424-E2      | 27     | 1.15            | 8.52          | 9.67                     | 8.9                        | 91.0    |            |
| P3615-03 | HR-02-081424         | 28     | 1.15            | 8.48          | 9.63                     | 9.04                       | 93.0    |            |



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 8/15/2024

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:30  
In Date: 08/14/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:17  
Out Date: 08/15/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID- OVEN

QC:LB132003

| Lab ID   | Client SampleID | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments |
|----------|-----------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|----------|
| P3615-04 | HR-02-081424-E2 | 29     | 1.12            | 8.70          | 9.82                     | 9.04                       | 91.0    |          |
| P3615-05 | HR-03-081424    | 30     | 1.13            | 8.66          | 9.79                     | 9.14                       | 92.5    |          |
| P3615-06 | HR-03-081424-E2 | 31     | 1.15            | 8.84          | 9.99                     | 9.2                        | 91.1    |          |
| P3615-07 | HR-04-081424    | 32     | 1.13            | 8.74          | 9.87                     | 8.99                       | 89.9    |          |
| P3615-08 | HR-04-081424-E2 | 33     | 1.15            | 8.39          | 9.54                     | 8.87                       | 92.0    |          |
| P3616-01 | BC247601-1-1    | 34     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc     |
| P3616-02 | BC247601-1-2    | 35     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc     |
| P3616-03 | BC271327-1-1    | 36     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc     |
| P3616-04 | BC271327-1-2    | 37     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc     |
| P3616-05 | JEH685X-1-1     | 38     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc     |
| P3616-06 | JEH685X-1-2     | 39     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc     |
| P3616-07 | BC278950-1-1    | 40     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc     |
| P3616-08 | BC278950-1-2    | 41     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | oilc     |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

132003

WorkList Name : %1-081424

WorkList ID : 182631

Department : Wet-Chemistry

Date : 08-14-2024 08:04:00

| Sample   | Customer Sample      | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|----------------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| P3600-01 | VCPS-B2-081324-2-4   | Solid  | Percent Solids | Cool 4 deg C | ENTE01   | K11                         | 08/13/2024   | Chemtech -SO |
| P3600-02 | VCPS-B2-081324-0-12  | Solid  | Percent Solids | Cool 4 deg C | ENTE01   | K11                         | 08/13/2024   | Chemtech -SO |
| P3600-03 | VCPS-B3-081324-0-2   | Solid  | Percent Solids | Cool 4 deg C | ENTE01   | K11                         | 08/13/2024   | Chemtech -SO |
| P3600-04 | VCPS-B3-081324-0-10  | Solid  | Percent Solids | Cool 4 deg C | ENTE01   | K11                         | 08/13/2024   | Chemtech -SO |
| P3600-05 | VCPS-B3-081324-16-18 | Solid  | Percent Solids | Cool 4 deg C | ENTE01   | K11                         | 08/13/2024   | Chemtech -SO |
| P3600-06 | VCPS-B3-081324-10-18 | Solid  | Percent Solids | Cool 4 deg C | ENTE01   | K11                         | 08/13/2024   | Chemtech -SO |
| P3602-01 | PCB-080924-01        | Solid  | Percent Solids | Cool 4 deg C | CLOU03   | D21                         | 08/09/2024   | Chemtech -SO |
| P3602-02 | PCB-080924-02        | Solid  | Percent Solids | Cool 4 deg C | CLOU03   | D21                         | 08/09/2024   | Chemtech -SO |
| P3602-03 | PCB-080924-03        | Solid  | Percent Solids | Cool 4 deg C | CLOU03   | D21                         | 08/09/2024   | Chemtech -SO |
| P3602-04 | PCB-080924-04        | Solid  | Percent Solids | Cool 4 deg C | CLOU03   | D21                         | 08/09/2024   | Chemtech -SO |
| P3602-05 | PCB-080924-05        | Solid  | Percent Solids | Cool 4 deg C | CLOU03   | D21                         | 08/09/2024   | Chemtech -SO |
| P3602-06 | PCB-080924-06        | Solid  | Percent Solids | Cool 4 deg C | CLOU03   | D21                         | 08/09/2024   | Chemtech -SO |
| P3602-07 | PCB-080924-07        | Solid  | Percent Solids | Cool 4 deg C | CLOU03   | D21                         | 08/09/2024   | Chemtech -SO |
| P3607-01 | NB-08-08142024       | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | D21                         | 08/14/2024   | Chemtech -SO |
| P3607-02 | NB-08-08142024-E2    | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | D21                         | 08/14/2024   | Chemtech -SO |
| P3611-03 | 260                  | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3611-04 | 261                  | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3611-05 | 262                  | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3611-06 | 264                  | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3611-08 | 253                  | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3612-01 | 409                  | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |

Date/Time 08/14/24 16:20  
 Raw Sample Received by: [Signature]  
 Raw Sample Relinquished by: [Signature]

# WORKLIST(Hardcopy Internal Chain)

132003

WorkList Name : %1-081424      WorkList ID : 182631      Department : Wet-Chemistry      Date : 08-14-2024 08:04:00

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| P3613-01 | TRE-1802        | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3613-02 | TRE-1802        | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3614-01 | OK-01-081424    | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | D21                         | 08/14/2024   | Chemtech -SO |
| P3614-02 | OK-01-081424-E2 | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | D21                         | 08/14/2024   | Chemtech -SO |
| P3615-01 | HR-01-081424    | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | 08/14/2024   | Chemtech -SO |
| P3615-02 | HR-01-081424-E2 | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | 08/14/2024   | Chemtech -SO |
| P3615-03 | HR-02-081424    | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | 08/14/2024   | Chemtech -SO |
| P3615-04 | HR-02-081424-E2 | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | 08/14/2024   | Chemtech -SO |
| P3615-05 | HR-03-081424    | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | 08/14/2024   | Chemtech -SO |
| P3615-06 | HR-03-081424-E2 | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | 08/14/2024   | Chemtech -SO |
| P3615-07 | HR-04-081424    | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | 08/14/2024   | Chemtech -SO |
| P3615-08 | HR-04-081424-E2 | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | G11                         | 08/14/2024   | Chemtech -SO |
| P3616-01 | BC247601-1-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3616-02 | BC247601-1-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3616-03 | BC271327-1-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3616-04 | BC271327-1-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3616-05 | JEH685X-1-1     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3616-06 | JEH685X-1-2     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3616-07 | BC278950-1-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |
| P3616-08 | BC278950-1-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/14/2024   | Chemtech -SO |

Date/Time 08/14/24 16:20  
 Raw Sample Received by: [Signature]  
 Raw Sample Relinquished by: [Signature]

Date/Time 08/14/24 17:40  
 Raw Sample Received by: [Signature]  
 Raw Sample Relinquished by: [Signature]