



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 8/21/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:25
In Date: 08/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:32
Out Date: 08/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB132091

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P3626-01	DCYB5	1	1.15	8.84	9.99	9.54	94.9	
P3626-02	DCYB7	2	1.18	8.59	9.77	9.16	92.9	
P3626-03	DCYC7	3	1.18	8.49	9.67	6.88	67.1	
P3626-04	DCYD3	4	1.19	8.53	9.72	8.8	89.2	
P3626-05	DCYD4	5	1.18	8.72	9.9	7.7	74.8	
P3626-06	DCYE9	6	1.18	8.64	9.82	8.48	84.5	
P3626-07	DCYF0	7	1.15	8.82	9.97	8.75	86.2	
P3626-08	VHBLK001	8	1.00	1.00	2.00	2.00	100.0	vhblk
P3626-09	DCYB8	9	1.14	8.59	9.73	8.68	87.8	
P3626-10	DCYB8MS	10	1.14	8.59	9.73	8.68	87.8	
P3626-11	DCYB8MSD	11	1.14	8.59	9.73	8.68	87.8	
P3626-12	DCYC0	12	1.15	8.77	9.92	8.2	80.4	
P3626-13	DCYC1	13	1.13	8.69	9.82	8.2	81.4	
P3626-14	DCYE0	14	1.15	8.82	9.97	7.88	76.3	
P3626-15	DCYE1	15	1.12	8.72	9.84	8.02	79.1	
P3626-16	DCXX8	16	1.15	8.79	9.94	9.39	93.7	
P3626-17	DCXZ5	17	1.16	8.61	9.77	8.36	83.6	
P3626-18	DCXZ7	18	1.18	8.47	9.65	8.21	83.0	
P3626-19	DCYB0	19	1.15	8.82	9.97	5.31	47.2	
P3626-20	DCYC5	20	1.11	8.78	9.89	7.8	76.2	
P3626-21	DCYC6	21	1.13	8.66	9.79	6.52	62.2	
P3626-22	DCYE4	22	1.16	8.50	9.66	8.04	80.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$