



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 8/22/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 08/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 08/22/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132107

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P3481-04	VHBLK001	1	1.00	1.00	2.00	2.00	100.0	vhblk
P3686-01	DNB-47-7FT	2	1.15	8.78	9.93	8.85	87.7	
P3686-02	DNB-47-COMPOSITE	3	1.15	8.78	9.93	8.85	87.7	
P3688-01	MIXED-DEMO	4	1.15	8.65	9.8	9.73	99.2	
P3689-01	WC-1	9	1.15	8.69	9.84	8.43	83.8	
P3689-02	WC-1	10	1.15	8.69	9.84	8.43	83.8	
P3689-03	WC-1 EPH	5	1.12	8.76	9.88	8.5	84.2	
P3689-04	WC-1 VOC	6	1.12	8.76	9.88	8.5	84.2	
P3694-01	Kingsland-Driveway	7	1.12	8.75	9.87	9.4	94.6	
P3694-02	Kingsland-Driveway	8	1.12	8.75	9.87	9.4	94.6	
P3698-01	HD-01-8-21-2024	11	1.15	8.73	9.88	8.95	89.3	
P3698-02	HD-01-8-21-2024	12	1.15	8.77	9.92	8.25	81.0	
P3701-01	1	13	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-02	2	14	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-03	3	15	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-04	4	16	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-05	5	17	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-06	6	18	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-07	7	19	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-08	8	20	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-09	9	21	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-10	10	22	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-11	11	23	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-12	12	24	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-13	13	25	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-14	14	26	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-15	15	27	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-16	16	28	1.00	1.00	2.00	2.00	100.0	wipe sample



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 8/22/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 08/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 08/22/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132107

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P3701-17	17	29	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-18	18	30	1.00	1.00	2.00	2.00	100.0	wipe sample
P3701-19	19	31	1.00	1.00	2.00	2.00	100.0	wipe sample
P3702-01	31562	32	1.00	1.00	2.00	2.00	100.0	wipe sample
P3703-01	OR-03-8-21-2024	33	1.14	8.72	9.86	9.13	91.6	
P3703-02	OR-03-8-21-2024	34	1.18	8.53	9.71	8.99	91.6	
P3704-01	LNG-Soil Pile	35	1.15	8.68	9.83	9.18	92.5	
P3704-02	LNG-Soil Pile	36	1.15	8.40	9.55	8.6	88.7	
P3704-03	LNG-Soil Pile	37	1.15	8.68	9.83	8.99	90.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$