



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB132114

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P3685-01	Stock Pile-1	1	100.03	0.00	08/21/2024	17:45
2	P3685-01DUP	Stock Pile-1DUP	1	100.03	0.00	08/21/2024	17:52
3	P3685-03	Stock Pile-2	1	100.02	0.00	08/21/2024	18:00
4	P3689-02	WC-1	1	100.07	0.00	08/21/2024	18:08
5	P3694-01	Kingsland-Driveway	1	100.02	0.00	08/21/2024	18:15

WORKLIST(Hardcopy Internal Chain)

6132114

WorkList Name : PF-8-21+

WorkList ID : 182856

Department : Wet-Chemistry

Date : 08-21-2024 14:08:54

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P3685-01	Stock Pile-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	08/20/2024	9095B
P3685-03	Stock Pile-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	08/20/2024	9095B
P3689-02	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	08/21/2024	9095B
P3694-01	Kingsland-Driveway	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	08/21/2024	9095B

Date/Time 08/21/2024 17:35
 Raw Sample Received by: RM away
 Raw Sample Relinquished by: J. Stewart

Date/Time 08/21/2024 18:40
 Raw Sample Received by: J. Stewart
 Raw Sample Relinquished by: RM away