



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB132267

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	P3813-01	TR-04-083024	1	100.04	0.00	09/04/2024	08:50
2	P3813-01DUP	TR-04-083024DUP	1	100.04	0.00	09/04/2024	08:58
3	P3813-03	TR-06-083024	1	100.02	0.00	09/04/2024	09:05

WORKLIST(Hardcopy Internal Chain)

16132267

WorkList Name : pf-9-3

WorkList ID : 183120

Department : Wet-Chemistry

Date : 09-03-2024 08:57:40

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P3813-01	TR-04-083024	Solid	Paint Filter	Cool 4 deg C	PSEG05	H53	08/30/2024	9095B
P3813-03	TR-06-083024	Solid	Paint Filter	Cool 4 deg C	PSEG05	H53	08/30/2024	9095B

Date/Time 09/04/2024 08:40
Raw Sample Received by: RM cws
Raw Sample Relinquished by: JRC

Date/Time 09/04/2024 09:20
Raw Sample Received by: JRC
Raw Sample Relinquished by: RM cws