PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 9/5/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 09/04/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 09/05/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC: LB132275

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g)(B)	Dish+Dry Sample Wt(g)(C)	% Solid	Comments
P3829-01	MIXED-DEMO	1	1.14	8.40	9.54	9.52	99.8	
P3830-01	COMP-B5	2	1.18	8.67	9.85	8.64	86.0	
P3836-01	DN-B-38(B-8)	3	1.15	8.82	9.97	8.69	85.5	
P3838-01	OK-01-0902424	4	1.14	8.48	9.62	9.21	95.2	
P3838-02	OK-01-0902424-E2	5	1.18	8.66	9.84	9.14	91.9	
P3839-05	822	6	1.00	1.00	2.00	2.00	100.0	oil sample
P3839-06	902-A-E	7	1.18	8.32	9.5	7.18	72.1	
P3839-07	902-A	8	1.15	8.39	9.54	6.06	58.5	
P3839-08	901	9	1.18	8.45	9.63	8.52	86.9	
P3839-09	901	10	1.15	8.37	9.52	8.48	87.6	
P3840-01	1901	11	1.00	1.00	2.00	2.00	100.0	wipe sample
P3840-02	1902	12	1.00	1.00	2.00	2.00	100.0	wipe sample
P3840-03	1903	13	1.00	1.00	2.00	2.00	100.0	wipe sample
P3840-04	1000	14	1.00	1.00	2.00	2.00	100.0	wipe sample
P3840-05	821-A	15	1.00	1.00	2.00	2.00	100.0	wipe sample
P3840-06	821-B	16	1.00	1.00	2.00	2.00	100.0	wipe sample
P3840-07	111-A	17	1.00	1.00	2.00	2.00	100.0	wipe sample
P3840-08	111-B	18	1.00	1.00	2.00	2.00	100.0	wipe sample
P3840-09	111-C	19	1.00	1.00	2.00	2.00	100.0	wipe sample
P3840-10	111-D	20	1.00	1.00	2.00	2.00	100.0	wipe sample

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$