



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB132334

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P3892-01	ARS20-005	1	100.05	0.00	09/10/2024	09:20
2	P3906-01	SU-701-COMP-01	1	100.02	0.00	09/10/2024	09:27
3	P3906-07	SU-701-COMP-02	1	100.06	0.00	09/10/2024	09:35
4	P3906-13	SU-701-COMP-03	1	100.02	0.00	09/10/2024	09:42
5	P3907-01	PL-701-COMP-54	1	100.05	0.00	09/10/2024	10:35
6	P3907-07	PL-701-COMP-55	1	100.02	0.00	09/10/2024	10:42
7	P3907-07DUP	PL-701-COMP-55DUP	1	100.02	0.00	09/10/2024	10:50

WORKLIST(Hardcopy Internal Chain)

66132334

WorkList Name : pf-9-9

WorkList ID : 183289

Department : Wet-Chemistry

Date : 09-09-2024 12:04:06

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P3892-01	ARS20-005	Solid	Paint Filter	Cool 4 deg C	PSEG03	H53	09/06/2024	9095B
P3906-01	SU-701-COMP-01	Solid	Paint Filter	Cool 4 deg C	PSEG03	H53	09/06/2024	9095B
P3906-07	SU-701-COMP-02	Solid	Paint Filter	Cool 4 deg C	PSEG03	H53	09/06/2024	9095B
P3906-13	SU-701-COMP-03	Solid	Paint Filter	Cool 4 deg C	PSEG03	H53	09/06/2024	9095B
P3907-01	PL-701-COMP-54	Solid	Paint Filter	Cool 4 deg C	PSEG03	H53	09/06/2024	9095B
P3907-07	PL-701-COMP-55	Solid	Paint Filter	Cool 4 deg C	PSEG03	H53	09/06/2024	9095B

Date/Time 09/10/2024 09:10
 Raw Sample Received by: RM cwc
 Raw Sample Relinquished by: RM cwc

Date/Time 09/10/2024 11:05
 Raw Sample Received by: RM cwc
 Raw Sample Relinquished by: RM cwc