



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 9/11/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:40
In Date: 09/10/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:47
Out Date: 09/11/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132349

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P3920-01	E1KL1	1	1.14	8.48	9.62	8.93	91.9	
P3920-02	E1KL3	2	1.18	8.78	9.96	9.21	91.5	
P3920-03	E1KL6	3	1.12	8.70	9.82	9.14	92.2	
P3920-04	E1KL7	4	1.15	8.64	9.79	9.43	95.8	
P3920-05	E1KL9	5	1.15	8.65	9.8	9.45	96.0	
P3920-06	E1KM1	6	1.18	8.56	9.74	9.38	95.8	
P3920-07	E1KM5	7	1.18	8.58	9.76	8.43	84.5	
P3920-08	E1KM7	8	1.18	8.62	9.8	9.4	95.4	
P3920-09	E1KM8	9	1.15	8.41	9.56	9.28	96.7	
P3920-10	E1KN1	10	1.15	8.64	9.79	9.29	94.2	
P3920-11	E1KN3	11	1.18	8.42	9.6	9.25	95.8	
P3920-12	E1KN4	12	1.15	8.44	9.59	8.66	89.0	
P3920-13	E1KN6	13	1.15	8.44	9.59	9.22	95.6	
P3920-14	E1KN8	14	1.13	8.80	9.93	9.6	96.2	
P3920-15	E1KP0	15	1.18	8.54	9.72	9.46	97.0	
P3920-16	E1KP2	16	1.14	8.40	9.54	9.33	97.5	
P3920-17	E1KQ0	17	1.15	8.83	9.98	9.22	91.4	
P3920-18	E1KQ2	18	1.18	8.62	9.8	8.26	82.1	
P3920-19	E1KQ2D	19	1.18	8.62	9.8	8.26	82.1	
P3920-20	E1KQ2S	20	1.18	8.62	9.8	8.26	82.1	
P3920-21	E1KQ4	21	1.18	8.81	9.99	9.64	96.0	
P3920-22	E1KQ6	22	1.13	8.57	9.7	9.36	96.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$