



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 9/13/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:25
In Date: 09/12/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:44
Out Date: 09/13/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132399

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P3899-01	DDCC4	1	1.15	8.74	9.89	8.35	82.4	
P3899-02	DDCC5	2	1.18	8.74	9.92	7.77	75.4	
P3899-03	DCVZ7	3	1.14	8.71	9.85	8.21	81.2	
P3899-04	DCVZ8	4	1.15	8.41	9.56	8.14	83.1	
P3899-05	DCVZ9	5	1.16	8.83	9.99	8.83	86.9	
P3899-06	DDC00	6	1.14	8.59	9.73	8.02	80.1	
P3899-07	DDC00MS	7	1.14	8.59	9.73	8.02	80.1	
P3899-08	DDC00MSD	8	1.14	8.59	9.73	8.02	80.1	
P3899-09	DDC01	9	1.13	8.74	9.87	8.31	82.2	
P3899-10	DDC02	10	1.15	8.84	9.99	7.86	75.9	
P3899-11	DDC12	11	1.18	8.69	9.87	8.34	82.4	
P3899-12	DDCJ2	12	1.15	8.56	9.71	8.82	89.6	
P3899-13	DDCJ4	13	1.15	8.42	9.57	8.02	81.6	
P3899-14	DDC50	14	1.18	8.51	9.69	8.35	84.3	
P3899-15	DDC51	15	1.18	8.46	9.64	7.86	79.0	
P3899-16	DDC52	16	1.19	8.53	9.72	8.25	82.8	
P3899-17	DDC53	17	1.18	8.69	9.87	7.88	77.1	
P3899-18	DDC54	18	1.14	8.40	9.54	7.68	77.9	
P3899-19	DDC55	19	1.18	8.76	9.94	8.24	80.6	
P3899-20	DDC56	20	1.15	8.82	9.97	8.57	84.1	
P3899-21	DDC72	21	1.15	8.36	9.51	8.37	86.4	
P3899-22	DDC73	22	1.19	8.66	9.85	8.16	80.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$