



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 9/17/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:50
In Date: 09/16/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 09/17/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132453

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P3927-01	DDC67	1	1.17	8.60	9.77	8.11	80.7	
P3927-02	DDC80	2	1.14	8.80	9.94	8.86	87.7	
P3927-03	DDC81	3	1.15	8.83	9.98	8.64	84.8	
P3927-04	DDC82	4	1.15	8.83	9.98	8.3	81.0	
P3927-05	DDC83	5	1.15	8.82	9.97	8.34	81.5	
P3927-06	DDC84	6	1.18	8.33	9.51	8.28	85.2	
P3927-07	DDC92	7	1.12	8.77	9.89	8.22	81.0	
P3927-08	DDC93	8	1.12	8.69	9.81	8.55	85.5	
P3927-09	DDCC6	9	1.15	8.82	9.97	8.69	85.5	
P3927-10	DDCC7	10	1.14	8.58	9.72	8.02	80.2	
P3927-11	DDCC8	11	1.19	8.52	9.71	8.21	82.4	
P3927-12	DDCC9	12	1.15	8.84	9.99	8.59	84.2	
P3927-13	DDCD0	13	1.17	8.59	9.76	7.68	75.8	
P3927-14	DDCD1	14	1.18	8.43	9.61	7.98	80.7	
P3927-15	DDCD2	15	1.15	8.82	9.97	8.49	83.2	
P3927-16	DDCA4	16	1.15	8.83	9.98	8.58	84.1	
P3927-17	DDCA5	17	1.15	8.81	9.96	8.65	85.1	
P3927-18	DDCA5MS	18	1.15	8.81	9.96	8.65	85.1	
P3927-19	DDCA5MSD	19	1.15	8.81	9.96	8.65	85.1	
P3927-20	DDCA6	20	1.15	8.84	9.99	9.00	88.8	
P3927-21	DDCA7	21	1.17	8.45	9.62	7.74	77.8	
P3927-22	DDCE3	22	1.19	8.50	9.69	8.07	80.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$