



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/7/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:15
In Date: 09/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:44
Out Date: 09/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132477

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4016-01	DCVT2	1	1.15	8.84	9.99	7.98	77.3	
P4016-02	DCVT3	2	1.18	8.73	9.91	8.03	78.5	
P4016-03	DCVT4	3	1.18	8.43	9.61	7.91	79.8	
P4016-04	DCVT5	4	1.18	8.75	9.93	8.12	79.3	
P4016-05	DCVT6	5	1.15	8.54	9.69	8.04	80.7	
P4016-06	DCVT7	6	1.15	8.72	9.87	8.18	80.6	
P4016-07	DCVT8	7	1.17	8.45	9.62	7.33	72.9	
P4016-08	DCVT9	8	1.15	8.82	9.97	7.69	74.1	
P4016-09	DCVW0	9	1.12	8.85	9.97	7.49	72.0	
P4016-10	DCVW1	10	1.17	8.81	9.98	7.71	74.2	
P4016-11	DCVW2	11	1.15	8.43	9.58	7.73	78.1	
P4016-12	DCVW3	12	1.19	8.51	9.7	8.11	81.3	
P4016-13	DCVW4	13	1.15	8.63	9.78	8.28	82.6	
P4016-14	DCVW5	14	1.15	8.82	9.97	8.27	80.7	
P4016-15	DDC20	15	1.15	8.50	9.65	8.22	83.2	
P4016-16	DDC21	16	1.19	8.55	9.74	8.21	82.1	
P4016-17	DDC22	17	1.18	8.43	9.61	8.00	80.9	
P4016-18	DDC23	18	1.18	8.42	9.6	8.1	82.2	
P4016-19	DDC23MS	19	1.18	8.42	9.6	8.1	82.2	
P4016-20	DDC23MSD	20	1.18	8.42	9.6	8.1	82.2	
P4016-21	DDC24	21	1.15	8.82	9.97	8.49	83.2	
P4016-22	DDC25	22	1.12	8.58	9.7	8.06	80.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$