



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 9/19/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:00
In Date: 09/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:50
Out Date: 09/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132478

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4017-01	DDC40	1	1.18	8.56	9.74	8.25	82.6	
P4017-02	DDC41	2	1.18	8.53	9.71	8.34	83.9	
P4017-03	DDC42	3	1.15	8.82	9.97	8.62	84.7	
P4017-04	DDC43	4	1.12	8.46	9.58	8.29	84.8	
P4017-05	DDC44	5	1.15	8.58	9.73	7.55	74.6	
P4017-06	DDC69	6	1.15	8.83	9.98	8.63	84.7	
P4017-07	DDC70	7	1.13	8.68	9.81	8.49	84.8	
P4017-08	DDC70MS	8	1.13	8.68	9.81	8.49	84.8	
P4017-09	DDC70MSD	9	1.13	8.68	9.81	8.49	84.8	
P4017-10	DDC85	10	1.19	8.62	9.81	8.56	85.5	
P4017-11	DDC86	11	1.14	8.63	9.77	8.42	84.4	
P4017-12	DDC94	12	1.15	8.59	9.74	8.58	86.5	
P4017-13	DDC95	13	1.16	8.61	9.77	8.51	85.4	
P4017-14	DDC96	14	1.15	8.77	9.92	8.36	82.2	
P4017-15	DDC97	15	1.18	8.46	9.64	8.06	81.3	
P4017-16	DDC98	16	1.15	8.84	9.99	8.92	87.9	
P4017-17	DDCD3	17	1.16	8.50	9.66	8.02	80.7	
P4017-18	DDCD4	18	1.18	8.50	9.68	7.19	70.7	
P4017-19	DDCD5	19	1.15	8.82	9.97	8.8	86.7	
P4017-20	DDCD6	20	1.15	8.82	9.97	8.88	87.6	
P4017-21	DDCD7	21	1.18	8.59	9.77	7.93	78.6	
P4017-22	DDCD8	22	1.13	8.83	9.96	8.4	82.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$