



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 9/19/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:20
In Date: 09/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 09/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132483

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4018-01	DDC99	1	1.18	8.46	9.64	8.19	82.9	
P4018-02	DDCA0	2	1.17	8.60	9.77	8.14	81.0	
P4018-03	DDCA1	3	1.15	8.43	9.58	8.08	82.2	
P4018-04	DDCA2	4	1.14	8.56	9.7	8.05	80.7	
P4018-05	DDCA3	5	1.18	8.76	9.94	8.12	79.2	
P4018-06	DDCB2	6	1.18	8.72	9.9	8.76	86.9	
P4018-07	DDCB3	7	1.15	8.83	9.98	8.63	84.7	
P4018-08	DDCB4	8	1.19	8.63	9.82	8.76	87.7	
P4018-09	DDCB5	9	1.14	8.84	9.98	8.99	88.8	
P4018-10	DDCB6	10	1.15	8.40	9.55	7.76	78.7	
P4018-11	DDCB7	11	1.19	8.67	9.86	7.89	77.3	
P4018-12	DDCB8	12	1.19	8.62	9.81	7.99	78.9	
P4018-13	DDCE0	13	1.15	8.82	9.97	8.51	83.4	
P4018-14	DDCE1	14	1.18	8.53	9.71	8.05	80.5	
P4018-15	DDCK3	15	1.15	8.83	9.98	8.49	83.1	
P4018-16	DDCE2	16	1.19	8.73	9.92	8.28	81.2	
P4018-17	DDCE2MS	17	1.19	8.73	9.92	8.28	81.2	
P4018-18	DDCE2MSD	18	1.19	8.73	9.92	8.28	81.2	
P4018-19	DDCE4	19	1.15	8.58	9.73	7.76	77.0	
P4018-20	DDCF5	20	1.2	8.57	9.77	8.29	82.7	
P4018-21	DDCF6	21	1.15	8.83	9.98	8.7	85.5	
P4018-22	DDCF7	22	1.12	8.72	9.84	8.1	80.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$