



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 9/19/2024

OVENTEMP IN Celsius(°C): 107  
Time IN: 14:30  
In Date: 09/18/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:11  
Out Date: 09/19/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID- OVEN

QC:LB132484

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| P4019-01 | DDC37           | 1      | 1.14           | 8.81         | 9.95                    | 8.56                      | 84.2    |          |
| P4019-02 | DDC38           | 2      | 1.18           | 8.63         | 9.81                    | 8.06                      | 79.7    |          |
| P4019-03 | DDC39           | 3      | 1.15           | 8.62         | 9.77                    | 7.57                      | 74.5    |          |
| P4019-04 | DDC68           | 4      | 1.18           | 8.79         | 9.97                    | 7.74                      | 74.6    |          |
| P4019-05 | DDCA8           | 5      | 1.16           | 8.70         | 9.86                    | 8.62                      | 85.7    |          |
| P4019-06 | DDCA9           | 6      | 1.14           | 8.76         | 9.9                     | 8.19                      | 80.5    |          |
| P4019-07 | DDCB0           | 7      | 1.16           | 8.40         | 9.56                    | 7.87                      | 79.9    |          |
| P4019-08 | DDCB1           | 8      | 1.18           | 8.48         | 9.66                    | 8.34                      | 84.4    |          |
| P4019-09 | DDCE5           | 9      | 1.15           | 8.82         | 9.97                    | 8.79                      | 86.6    |          |
| P4019-10 | DDCE7           | 10     | 1.15           | 8.83         | 9.98                    | 8.55                      | 83.8    |          |
| P4019-11 | DDCE6           | 11     | 1.15           | 8.82         | 9.97                    | 8.71                      | 85.7    |          |
| P4019-12 | DDCE8           | 12     | 1.15           | 8.79         | 9.94                    | 8.67                      | 85.6    |          |
| P4019-13 | DDCE9           | 13     | 1.19           | 8.78         | 9.97                    | 8.59                      | 84.3    |          |
| P4019-14 | DDCE9MS         | 14     | 1.19           | 8.78         | 9.97                    | 8.59                      | 84.3    |          |
| P4019-15 | DDCE9MSD        | 15     | 1.19           | 8.78         | 9.97                    | 8.59                      | 84.3    |          |
| P4019-16 | DDCF0           | 16     | 1.15           | 8.84         | 9.99                    | 8.22                      | 80.0    |          |
| P4019-17 | DDCF1           | 17     | 1.17           | 8.80         | 9.97                    | 8.4                       | 82.2    |          |
| P4019-18 | DDCF2           | 18     | 1.12           | 8.81         | 9.93                    | 8.38                      | 82.4    |          |
| P4019-19 | DDCF3           | 19     | 1.18           | 8.40         | 9.58                    | 7.8                       | 78.8    |          |
| P4019-20 | DDCF4           | 20     | 1.17           | 8.80         | 9.97                    | 8.97                      | 88.6    |          |
| P4019-21 | DDCJ7           | 21     | 1.14           | 8.40         | 9.54                    | 7.75                      | 78.7    |          |
| P4019-22 | DDCJ8           | 22     | 1.16           | 8.82         | 9.98                    | 8.71                      | 85.6    |          |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$