



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 9/23/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 09/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 09/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132535

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4109-01	A4EH3	1	1.15	8.51	9.66	6.38	61.5	
P4109-02	A4EH5	2	1.15	8.43	9.58	5.82	55.4	
P4109-03	A4EH6	3	1.18	8.54	9.72	6.16	58.3	
P4109-04	A4EH7	4	1.18	8.50	9.68	7.88	78.8	
P4109-05	A4EH8	5	1.18	8.79	9.97	8.46	82.8	
P4109-06	A4EJ8	6	1.18	8.75	9.93	7.99	77.8	
P4109-07	A4EJ9	7	1.19	8.51	9.7	5.38	49.2	
P4109-08	A4EK0	8	1.15	8.56	9.71	5.84	54.8	
P4109-11	VHBLK002	9	1.00	1.00	2.00	2.00	100.0	vhblk
P4109-12	A4E63	10	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P4109-13	A4E64	11	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P4109-14	A4ET6	12	1.18	8.79	9.97	4.96	43.0	
P4109-15	A4ET7	13	1.12	8.75	9.87	6.63	63.0	
P4109-16	A4ET8	14	1.17	8.82	9.99	6.97	65.8	
P4109-17	A4ET9	15	1.12	8.72	9.84	4.63	40.3	
P4109-18	A4EW0	16	1.14	8.83	9.97	8.36	81.8	
P4109-19	A4EW1	17	1.12	8.75	9.87	4.63	40.1	
P4109-20	A4EW2	18	1.15	8.82	9.97	4.71	40.4	
P4109-21	A4EW5	19	1.18	8.49	9.67	7.29	72.0	
P4109-22	A4EW7	20	1.18	8.47	9.65	8.41	85.4	
P4109-23	A4EX1	21	1.14	8.52	9.66	8.55	87.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$