

Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB132546

Reviewed By: rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4103-01	WC-22A	1	100.05	0.00	09/23/2024	09:20
2	P4103-04	WC-14-5-7.5A	1	100.02	0.00	09/23/2024	09:27
3	P4103-07	WC-14-5-7.5B	1	100.06	0.00	09/23/2024	09:35
4	P4103-10	WC-14-7.5-10A	1	100.02	0.00	09/23/2024	09:42
5	P4103-13	WC-14-7.5-10B	1	100.06	0.00	09/23/2024	09:50
6	P4103-16	WC-23	1	100.02	0.00	09/23/2024	09:58
7	P4142-01	OR-02-09202024	1	100.07	0.00	09/23/2024	10:05
8	P4142-01DUP	OR-02-09202024DUP	1	100.07	0.00	09/23/2024	10:12

WORKLIST(Hardcopy Internal Chain)

66132 546

WorkList Name : pf-9-23 WorkList ID : 183719 Department : Wet-Chemistry Date : 09-23-2024 08:25:42

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4103-01	WC-22A	Solid	Paint Filter	Cool 4 deg C	ENTA05	J11	09/17/2024	9095B
P4103-04	WC-14-5-7.5A	Solid	Paint Filter	Cool 4 deg C	ENTA05	J11	09/17/2024	9095B
P4103-07	WC-14-5-7.5B	Solid	Paint Filter	Cool 4 deg C	ENTA05	J11	09/17/2024	9095B
P4103-10	WC-14-7.5-10A	Solid	Paint Filter	Cool 4 deg C	ENTA05	J11	09/17/2024	9095B
P4103-13	WC-14-7.5-10B	Solid	Paint Filter	Cool 4 deg C	ENTA05	J11	09/17/2024	9095B
P4103-16	WC-23	Solid	Paint Filter	Cool 4 deg C	ENTA05	J11	09/17/2024	9095B
P4142-01	OR-02-09202024	Solid	Paint Filter	Cool 4 deg C	PSEG05	J21	09/20/2024	9095B

Date/Time 09/23/2024 09:10
 Raw Sample Received by: RM cws
 Raw Sample Relinquished by: Muef

Date/Time 09/23/2024 10:30
 Raw Sample Received by: Joluey
 Raw Sample Relinquished by: RM cws