



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 9/25/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:50
In Date: 09/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 09/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132569

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4131-01	A4EX2	1	1.14	8.74	9.88	8.52	84.4	
P4131-02	A4EY2	2	1.15	8.80	9.95	6.96	66.0	
P4131-04	VHBLK001	3	1.00	1.00	2.00	2.00	100.0	vhblk
P4131-07	A4EW8	4	1.14	8.71	9.85	5.35	48.3	
P4131-08	A4EW9	5	1.12	8.76	9.88	6.19	57.9	
P4131-09	A4EX0	6	1.15	8.82	9.97	8.9	87.9	
P4131-10	A4EX3	7	1.18	8.34	9.52	5.00	45.8	
P4131-11	A4EX4	8	1.15	8.82	9.97	6.62	62.0	
P4131-12	A4EX5	9	1.18	8.35	9.53	8.18	83.8	
P4131-13	A4EX8	10	1.18	8.78	9.96	5.89	53.6	
P4131-14	A4EX9	11	1.19	8.50	9.69	7.93	79.3	
P4131-15	A4EY4	12	1.13	8.59	9.72	6.18	58.8	
P4131-16	A4EZ0	13	1.12	8.87	9.99	5.27	46.8	
P4131-17	A4EZ1	14	1.14	8.83	9.97	6.42	59.8	
P4131-18	A4EZ2	15	1.17	8.75	9.92	7.9	76.9	
P4131-20	A4E66	16	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P4131-21	A4E67	17	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P4131-22	A4ER4	18	1.17	8.57	9.74	5.37	49.0	
P4131-23	A4ER5	19	1.17	8.60	9.77	5.38	49.0	
P4131-24	A4ER6	20	1.15	8.81	9.96	8.68	85.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$