



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 9/26/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:30
In Date: 09/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:47
Out Date: 09/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132593

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4162-01	A4ER7	1	1.15	8.80	9.95	5.61	50.7	
P4162-02	A4ER8	2	1.12	8.45	9.57	5.17	47.9	
P4162-03	A4ER9	3	1.18	8.43	9.61	4.67	41.4	
P4162-04	A4ES0	4	1.15	8.79	9.94	8.75	86.5	
P4162-05	A4ES4	5	1.17	8.58	9.75	5.1	45.8	
P4162-06	A4ES5	6	1.15	8.51	9.66	6.09	58.0	
P4162-07	A4ES6	7	1.15	8.80	9.95	6.76	63.8	
P4162-08	A4ES7	8	1.14	8.57	9.71	5.47	50.5	
P4162-09	A4ES8	9	1.12	8.76	9.88	5.61	51.3	
P4162-10	A4ES9	10	1.14	8.83	9.97	9.00	89.0	
P4162-12	VHBLK001	11	1.00	1.00	2.00	2.00	100.0	vhblk
P4162-14	A4EH9	12	1.13	8.65	9.78	7.03	68.2	
P4162-15	A4EJ0	13	1.15	8.36	9.51	7.71	78.5	
P4162-16	A4EJ1	14	1.16	8.66	9.82	6.63	63.2	
P4162-17	A4EJ2	15	1.17	8.81	9.98	7.7	74.1	
P4162-18	A4EJ3	16	1.12	8.71	9.83	6.87	66.0	
P4162-19	A4EJ4	17	1.14	8.63	9.77	6.76	65.1	
P4162-20	A4EJ5	18	1.17	8.58	9.75	7.68	75.9	
P4162-21	A4EJ6	19	1.15	8.84	9.99	6.33	58.6	
P4162-22	A4EJ7	20	1.17	8.82	9.99	8.77	86.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$