



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB132596

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4167-01	PL-03-09242024	1	100.04	0.00	09/25/2024	09:35
2	P4167-01DUP	PL-03-09242024DUP	1	100.04	0.00	09/25/2024	09:42
3	P4168-01	SU-03-09242024	1	100.07	0.00	09/25/2024	09:50
4	P4168-03	SU-04-09242024	1	100.02	0.00	09/25/2024	09:57
5	P4172-04	CHRT-20425	1	100.06	0.00	09/25/2024	10:05
6	P4172-06	CHRT-24336	1	100.02	0.00	09/25/2024	10:12
7	P4178-04	VNJ231	1	100.05	0.00	09/25/2024	10:20

WORKLIST(Hardcopy Internal Chain)

6132596

WorkList Name : PF-9-25

WorkList ID : 183795

Department : Wet-Chemistry

Date : 09-25-2024 09:14:10

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4167-01	PL-03-09242024	Solid	Paint Filter	Cool 4 deg C	PSEG05	J31	09/24/2024	9095B
P4168-01	SU-03-09242024	Solid	Paint Filter	Cool 4 deg C	PSEG05	J41	09/24/2024	9095B
P4168-03	SU-04-09242024	Solid	Paint Filter	Cool 4 deg C	PSEG05	J41	09/24/2024	9095B
P4172-04	CHRT-20425	Solid	Paint Filter	Cool 4 deg C	PSEG03	J41	09/24/2024	9095B
P4172-06	CHRT-24336	Solid	Paint Filter	Cool 4 deg C	PSEG03	J41	09/24/2024	9095B
P4178-04	VNU231	Solid	Paint Filter	Cool 4 deg C	PSEG03	J41	09/24/2024	9095B

Date/Time 09/25/2024 09:25
 Raw Sample Received by: RM 6090
 Raw Sample Relinquished by: RM 6090

Date/Time 09/25/2024 10:35
 Raw Sample Received by: RM 6090
 Raw Sample Relinquished by: RM 6090