



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 9/27/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:15
In Date: 09/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 09/27/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132619

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4183-01	A4EK6	1	1.14	8.58	9.72	6.99	68.2	
P4183-02	A4EK7	2	1.18	8.49	9.67	6.13	58.3	
P4183-03	A4EK8	3	1.15	8.49	9.64	7.03	69.3	
P4183-04	A4EM0	4	1.19	8.67	9.86	6.58	62.2	
P4183-05	A4EM1	5	1.14	8.61	9.75	7.07	68.9	
P4183-06	A4EM2	6	1.15	8.82	9.97	7.21	68.7	
P4183-08	VHBLK001	7	1.00	1.00	2.00	2.00	100.0	vhblk
P4183-10	A4EL1	8	1.15	8.62	9.77	5.65	52.2	
P4183-11	A4EL2	9	1.12	8.76	9.88	5.89	54.5	
P4183-12	A4EL5	10	1.18	8.49	9.67	7.82	78.2	
P4183-13	A4EL6	11	1.12	8.77	9.89	5.97	55.3	
P4183-14	A4EL7	12	1.15	8.83	9.98	6.05	55.5	
P4183-15	A4EL8	13	1.15	8.83	9.98	6.91	65.2	
P4183-16	A4EL9	14	1.19	8.58	9.77	7.5	73.5	
P4183-17	A4EM3	15	1.15	8.40	9.55	6.39	62.4	
P4183-18	A4EM4	16	1.15	8.84	9.99	6.84	64.4	
P4183-19	A4EM5	17	1.16	8.82	9.98	7.11	67.5	
P4183-20	A4EM8	18	1.15	8.79	9.94	5.81	53.0	
P4183-21	A4EM9	19	1.15	8.83	9.98	7.02	66.5	
P4183-22	A4EN2	20	1.18	8.63	9.81	5.71	52.5	
P4208-01	E1H08	21	1.14	8.67	9.81	8.87	89.2	
P4208-02	E1H08MS	22	1.14	8.67	9.81	8.87	89.2	
P4208-03	E1H08MSD	23	1.14	8.67	9.81	8.87	89.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$