



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB132628

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4197-01	EO-01-092524	1	100.05	0.00	09/26/2024	16:05
2	P4197-01DUP	EO-01-092524DUP	1	100.05	0.00	09/26/2024	16:12
3	P4198-01	TP2-WC-1	1	100.04	0.00	09/26/2024	16:20
4	P4198-06	TP1-WC-1	1	100.07	0.00	09/26/2024	16:28
5	P4198-11	TP1-5-WC-1	1	100.02	0.00	09/26/2024	16:35
6	P4198-16	TP3-WC-1	1	100.06	0.00	09/26/2024	16:42
7	P4198-21	TP4-WC-1	1	100.02	0.00	09/26/2024	16:50
8	P4198-26	TP5-WC-1	1	100.04	0.00	09/26/2024	16:58

WORKLIST(Hardcopy Internal Chain)

6132628

WorkList Name : pf-9-26 WorkList ID : 183839 Department : Wet-Chemistry Date : 09-26-2024 08:30:12

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4197-01	EO-01-092524	Solid	Paint Filter	Cool 4 deg C	PSEG05	J51	09/25/2024	9095B
P4198-01	TP2-WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	09/23/2024	9095B
P4198-06	TP1-WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	09/23/2024	9095B
P4198-11	TP1-5-WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	09/24/2024	9095B
P4198-16	TP3-WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	09/24/2024	9095B
P4198-21	TP4-WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	09/24/2024	9095B
P4198-26	TP5-WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	09/24/2024	9095B

Date/Time 09/26/2024 15:51
 Raw Sample Received by: RM CWG
 Raw Sample Relinquished by: JWC

Date/Time 09/26/2024 17:10
 Raw Sample Received by: JWC
 Raw Sample Relinquished by: JWC