

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB132677

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4222-01	TP-5	1	100.06	0.00	10/01/2024	08:30
2	P4222-01DUP	TP-5DUP	1	100.06	0.00	10/01/2024	08:37
3	P4225-01	TR-04-092724	1	100.02	0.00	10/01/2024	08:45
4	P4232-01	TP-R	1	100.05	0.00	10/01/2024	08:52
5	P4234-01	EO-02-093024	1	100.02	0.00	10/01/2024	09:00
6	P4236-01	TP4	1	100.02	0.00	10/01/2024	09:07
7	P4236-05	TP3	1	100.07	0.00	10/01/2024	09:15
8	P4236-09	TP1	1	100.02	0.00	10/01/2024	09:22
9	P4236-13	TP2	1	100.05	0.00	10/01/2024	09:30

WORKLIST(Hardcopy Internal Chain)

16132677

WorkList Name : pf -9-30

WorkList ID : 183941

Department : Wet-Chemistry

Date : 09-30-2024 08:16:06

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4222-01	TP-5	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	09/27/2024	9095B
P4232-01	TP-R	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	09/30/2024	9095B
P4236-01	TP4	Solid	Paint Filter	Cool 4 deg C	PSEG03	J53	09/30/2024	9095B
P4236-05	TP3	Solid	Paint Filter	Cool 4 deg C	PSEG03	J53	09/30/2024	9095B
P4236-09	TP1	Solid	Paint Filter	Cool 4 deg C	PSEG03	J53	09/30/2024	9095B
P4236-13	TP2	Solid	Paint Filter	Cool 4 deg C	PSEG03	J53	09/30/2024	9095B
P4225-01	TR-04-092724	Solid	Paint Filter	Cool 4 deg C	PSEG05	J41	09/27/2024	9095B
P4234-01	EO-02-093024	Solid	Paint Filter	Cool 4 deg C	PSEG05	J51	09/30/2024	9095B

Date/Time 10/01/2024 08:20
 Raw Sample Received by: RM cws
 Raw Sample Relinquished by: H(001)

Date/Time 10/01/2024 09:45
 Raw Sample Received by: H(001)
 Raw Sample Relinquished by: RM cws