



PERCENT SOLID

Supervisor: Iwona
 Analyst: jignesh
 Date: 10/3/2024

OVENTEMP IN Celsius(°C): 107
 Time IN: 12:35
 In Date: 10/02/2024
 Weight Check 1.0g: 1.00
 Weight Check 10g: 10.00
 OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
 Time OUT: 07:50
 Out Date: 10/03/2024
 Weight Check 1.0g: 1.00
 Weight Check 10g: 10.00
 BalanceID: M SC-4
 Thermometer ID: % SOLID- OVEN

QC:LB132703

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P4246-01	MYD046	1	1.18	8.46	9.64	8.95	91.8	
P4246-02	MYD049	2	1.15	8.36	9.51	8.23	84.7	
P4246-03	MYD050	3	1.16	8.82	9.98	8.71	85.6	
P4246-04	MYD051	4	1.13	8.74	9.87	9.02	90.3	
P4246-05	MYD052	5	1.19	8.62	9.81	9.37	94.9	
P4246-06	MYD053	6	1.16	8.48	9.64	9.26	95.5	
P4246-07	MYD054	7	1.15	8.51	9.66	9.34	96.2	
P4246-10	MYD059	8	1.14	8.63	9.77	8.74	88.1	
P4246-11	MYD060	9	1.19	8.50	9.69	8.74	88.8	
P4246-12	MYD061	10	1.19	8.60	9.79	8.96	90.3	
P4246-13	MYD062	11	1.18	8.71	9.89	9.2	92.1	
P4246-14	MYD063	12	1.16	8.40	9.56	9.03	93.7	
P4246-15	MYD0B0	13	1.19	8.41	9.6	8.91	91.8	
P4246-16	MYD0B1	14	1.18	8.42	9.6	9.01	93.0	
P4246-17	MYD0B2	15	1.16	8.62	9.78	9.31	94.5	
P4246-18	MYD0B3	16	1.15	8.64	9.79	9.32	94.6	
P4246-19	MYD0B4	17	1.11	8.78	9.89	9.68	97.6	
P4246-20	MYD0B4D	18	1.11	8.78	9.89	9.68	97.6	
P4246-21	MYD0B4S	19	1.11	8.78	9.89	9.68	97.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$