



**PERCENT SOLID**

Supervisor: Iwona  
 Analyst: jignesh  
 Date: 10/3/2024

OVENTEMP IN Celsius(°C): 107  
 Time IN: 12:50  
 In Date: 10/02/2024  
 Weight Check 1.0g: 1.00  
 Weight Check 10g: 10.00  
 OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103  
 Time OUT: 08:05  
 Out Date: 10/03/2024  
 Weight Check 1.0g: 1.00  
 Weight Check 10g: 10.00  
 BalanceID: M SC-4  
 Thermometer ID: % SOLID- OVEN

QC:LB132704

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P4252-01	MYD9X0	1	1.14	8.74	9.88	9.71	98.1	
P4252-02	MYD9X1	2	1.19	8.41	9.6	9.44	98.1	
P4252-03	MYD9X2	3	1.18	8.40	9.58	9.47	98.7	
P4252-04	MYD9X3	4	1.16	8.70	9.86	9.7	98.2	
P4252-05	MYD9X3D	5	1.16	8.70	9.86	9.7	98.2	
P4252-06	MYD9X3S	6	1.16	8.70	9.86	9.7	98.2	
P4252-07	MYD9X4	7	1.15	8.64	9.79	9.67	98.6	
P4252-08	MYD9X5	8	1.17	8.58	9.75	9.57	97.9	
P4252-09	MYD9X6	9	1.12	8.66	9.78	9.62	98.2	
P4252-10	MYD9X7	10	1.18	8.45	9.63	9.43	97.6	
P4252-11	MYD9X8	11	1.17	8.70	9.87	9.68	97.8	
P4252-12	MYD9X9	12	1.16	8.58	9.74	9.55	97.8	
P4252-13	MYD9Y0	13	1.18	8.59	9.77	9.63	98.4	
P4252-14	MYD9Y1	14	1.15	8.73	9.88	9.77	98.7	
P4252-15	MYD9Y2	15	1.16	8.40	9.56	9.42	98.3	
P4252-16	MYD9Y3	16	1.15	8.65	9.8	9.62	97.9	
P4252-17	MYD9Y4	17	1.15	8.50	9.65	9.47	97.9	
P4252-18	MYD9Y5	18	1.15	8.73	9.88	9.7	97.9	
P4252-19	MYD9Y6	19	1.15	8.73	9.88	9.71	98.1	
P4252-20	MYD9Y7	20	1.16	8.80	9.96	9.82	98.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$