



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB132715

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4242-01	TP-Q	1	100.05	0.00	10/02/2024	13:30
2	P4254-01	MH-147-SLUDGE	1	100.06	0.00	10/02/2024	13:38
3	P4255-01	OR-03-100124	1	100.02	0.00	10/02/2024	13:45
4	P4257-01	VNJ-240	1	100.07	0.00	10/02/2024	13:52
5	P4258-01	Chamberlain Ave	1	100.02	0.00	10/02/2024	14:00
6	P4258-01DUP	Chamberlain AveDUP	1	100.02	0.00	10/02/2024	14:08

WORKLIST(Hardcopy Internal Chain)

66132715

WorkList Name : pf-10-2 WorkList ID : 184028 Department : Wet-Chemistry Date : 10-02-2024 08:30:56

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4242-01	TP-Q	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	10/01/2024	9095B
P4254-01	MH-147-SLUDGE	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	10/01/2024	9095B
P4255-01	OR-03-100124	Solid	Paint Filter	Cool 4 deg C	PSEG05	J51	10/01/2024	9095B
P4257-01	VNJ-240	Solid	Paint Filter	Cool 4 deg C	PSEG03	J51	10/01/2024	9095B
P4258-01	Chamberlain Ave	Solid	Paint Filter	Cool 4 deg C	ROMA02	H11	10/01/2024	9095B

Date/Time 10/02/2024 13.20
 Raw Sample Received by: RM cwc
 Raw Sample Relinquished by: RM cwc

Date/Time 10/02/2024 14.20
 Raw Sample Received by: RM cwc
 Raw Sample Relinquished by: RM cwc