



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/10/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:40
In Date: 10/09/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 10/10/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132845

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4346-02	EOAW4	1	1.15	8.76	9.91	5.03	44.3	
P4346-03	EOAW5	2	1.18	8.51	9.69	4.18	35.3	
P4346-04	EOAW6	3	1.14	8.85	9.99	4.03	32.7	
P4346-05	EOAW7	4	1.12	8.47	9.59	4.17	36.0	
P4346-06	EOAW8	5	1.15	8.84	9.99	4.34	36.1	
P4346-07	EOAW9	6	1.2	8.77	9.97	4.26	34.9	
P4346-08	EOAW9MS	7	1.2	8.77	9.97	4.26	34.9	
P4346-09	EOAW9MSD	8	1.2	8.77	9.97	4.26	34.9	
P4346-10	EOAX0	9	1.18	8.55	9.73	3.75	30.1	
P4346-11	EOAX1	10	1.16	8.50	9.66	4.02	33.6	
P4346-12	EOAX2	11	1.15	8.58	9.73	3.64	29.0	
P4346-13	EOAX3	12	1.15	8.82	9.97	3.77	29.7	
P4346-14	EOAX4	13	1.15	8.84	9.99	4.11	33.5	
P4346-15	EOAX5	14	1.15	8.81	9.96	4.00	32.3	
P4346-17	EOAX7	15	1.17	8.64	9.81	8.03	79.4	
P4346-18	EOAX8	16	1.18	8.76	9.94	3.48	26.3	
P4346-19	EOAX9	17	1.15	8.82	9.97	3.91	31.3	
P4346-20	EOAY0	18	1.16	8.44	9.6	3.76	30.8	
P4346-21	VHBLK001	19	1.00	1.00	2.00	2.00	100.0	vhblk

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$