



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/11/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:20
In Date: 10/10/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:36
Out Date: 10/11/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132858

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4314-01	MYDB42	1	1.16	8.46	9.62	9.42	97.6	
P4314-02	MYDB43	2	1.15	8.79	9.94	9.72	97.5	
P4314-03	MYDB44	3	1.13	8.76	9.89	9.5	95.5	
P4314-04	MYDB45	4	1.16	8.75	9.91	9.55	95.9	
P4314-05	MYDB46	5	1.16	8.44	9.6	9.36	97.2	
P4314-06	MYDB47	6	1.16	8.38	9.54	9.25	96.5	
P4314-07	MYDB48	7	1.16	8.71	9.87	9.65	97.5	
P4314-08	MYDB49	8	1.16	8.52	9.68	9.44	97.2	
P4314-09	MYDB50	9	1.16	8.58	9.74	9.55	97.8	
P4314-10	MYDB51	10	1.16	8.48	9.64	9.43	97.5	
P4314-11	MYDB51D	11	1.16	8.48	9.64	9.43	97.5	
P4314-12	MYDB51S	12	1.16	8.48	9.64	9.43	97.5	
P4314-13	MYDB52	13	1.15	8.37	9.52	9.18	95.9	
P4314-14	MYDB53	14	1.16	8.38	9.54	9.3	97.1	
P4314-15	MYDB54	15	1.17	8.43	9.6	9.34	96.9	
P4314-16	MYDB55	16	1.16	8.61	9.77	9.52	97.1	
P4314-17	MYDB56	17	1.18	8.58	9.76	9.52	97.2	
P4314-18	MYDB57	18	1.15	8.70	9.85	9.63	97.5	
P4314-19	MYDB58	19	1.16	8.56	9.72	9.51	97.5	
P4314-20	MYDB59	20	1.18	8.35	9.53	9.32	97.5	
P4314-21	MYDB60	21	1.14	8.74	9.88	9.68	97.7	
P4314-22	MYDB62	22	1.16	8.70	9.86	9.51	96.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$