

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/11/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 16:15
In Date: 10/10/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:55
Out Date: 10/11/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132865

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4332-01	MYDBD4	1	1.18	8.44	9.62	9.33	96.6	
P4332-02	MYDBD5	2	1.15	8.52	9.67	9.37	96.5	
P4332-03	MYDBD6	3	1.18	8.64	9.82	9.57	97.1	
P4332-04	MYDBD7	4	1.18	8.65	9.83	9.59	97.2	
P4332-05	MYDBD8	5	1.18	8.62	9.8	9.55	97.1	
P4332-06	MYDBD9	6	1.15	8.40	9.55	9.31	97.1	
P4332-07	MYDBE0	7	1.18	8.43	9.61	9.36	97.0	
P4332-08	MYDBE1	8	1.15	8.38	9.53	9.13	95.2	
P4332-09	MYDBE2	9	1.18	8.44	9.62	9.18	94.8	
P4332-10	MYDBE3	10	1.16	8.51	9.67	9.35	96.2	
P4332-11	MYDBE4	11	1.18	8.45	9.63	9.29	96.0	
P4332-12	MYDBE5	12	1.17	8.72	9.89	9.56	96.2	
P4332-13	MYDBE6	13	1.17	8.58	9.75	9.47	96.7	
P4332-14	MYDBE6D	14	1.17	8.58	9.75	9.47	96.7	
P4332-15	MYDBE6S	15	1.17	8.58	9.75	9.47	96.7	
P4332-16	MYDBE7	16	1.15	8.68	9.83	9.54	96.7	
P4332-17	MYDBE8	17	1.15	8.41	9.56	9.2	95.7	
P4332-18	MYDBE9	18	1.18	8.48	9.66	9.41	97.1	
P4332-19	MYDBF0	19	1.14	8.63	9.77	9.38	95.5	
P4332-20	MYDBF1	20	1.15	8.38	9.53	8.82	91.5	
P4332-21	MYDBF2	21	1.18	8.50	9.68	9.21	94.5	
P4332-22	MYDBF3	22	1.18	8.46	9.64	9.32	96.2	
P4333-01	MYDBF4	23	1.19	8.50	9.69	9.14	93.5	
P4333-02	MYDBF5	24	1.15	8.48	9.63	9.21	95.0	
P4333-03	MYDBF5D	25	1.15	8.48	9.63	9.21	95.0	
P4333-04	MYDBF5S	26	1.15	8.48	9.63	9.21	95.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$