



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/11/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 16:50
In Date: 10/10/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 10/11/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132867

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4331-01	MYDBB4	1	1.14	8.53	9.67	9.35	96.2	
P4331-02	MYDBB5	2	1.18	8.43	9.61	9.37	97.2	
P4331-03	MYDBB6	3	1.17	8.67	9.84	9.29	93.7	
P4331-04	MYDBB7	4	1.14	8.40	9.54	9.28	96.9	
P4331-05	MYDBB7D	5	1.14	8.40	9.54	9.28	96.9	
P4331-06	MYDBB7S	6	1.14	8.40	9.54	9.28	96.9	
P4331-07	MYDBB8	7	1.16	8.38	9.54	9.00	93.6	
P4331-08	MYDBB9	8	1.15	8.78	9.93	9.45	94.5	
P4331-09	MYDBC0	9	1.15	8.64	9.79	9.47	96.3	
P4331-10	MYDBC1	10	1.18	8.35	9.53	9.11	95.0	
P4331-11	MYDBC2	11	1.17	8.41	9.58	9.39	97.7	
P4331-12	MYDBC3	12	1.18	8.74	9.92	9.6	96.3	
P4331-13	MYDBC4	13	1.18	8.65	9.83	9.55	96.8	
P4331-14	MYDBC5	14	1.16	8.67	9.83	9.53	96.5	
P4331-15	MYDBC6	15	1.17	8.60	9.77	9.54	97.3	
P4331-16	MYDBC7	16	1.16	8.50	9.66	9.32	96.0	
P4331-17	MYDBC8	17	1.15	8.65	9.8	9.59	97.6	
P4331-18	MYDBC9	18	1.15	8.47	9.62	9.2	95.0	
P4331-19	MYDBD0	19	1.15	8.40	9.55	9.22	96.1	
P4331-20	MYDBD1	20	1.18	8.48	9.66	9.4	96.9	
P4331-21	MYDBD2	21	1.15	8.35	9.5	9.03	94.4	
P4331-22	MYDBD3	22	1.18	8.53	9.71	9.29	95.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$