



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/18/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:25
In Date: 10/17/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:55
Out Date: 10/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB132980

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4414-01	A4E87	1	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P4414-02	A4E88	2	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P4414-03	A4F70	3	1.15	8.81	9.96	7.45	71.5	
P4414-04	A4F71	4	1.14	8.77	9.91	4.15	34.3	
P4414-05	A4F77	5	1.17	8.53	9.7	5.62	52.2	
P4414-06	A4F91	6	1.13	8.79	9.92	7.86	76.6	
P4414-07	A4F95	7	1.16	8.60	9.76	7.11	69.2	
P4414-08	A4F98	8	1.18	8.46	9.64	6.92	67.8	
P4414-09	A4F99	9	1.15	8.80	9.95	6.82	64.4	
P4414-10	A4FA0	10	1.14	8.83	9.97	6.73	63.3	
P4414-11	A4FA2	11	1.15	8.70	9.85	6.92	66.3	
P4414-12	A4FA3	12	1.15	8.83	9.98	7.52	72.1	
P4414-13	A4FA8	13	1.18	8.79	9.97	7.69	74.1	
P4414-14	A4FB2	14	1.14	8.81	9.95	6.96	66.1	
P4414-17	VHBLK002	15	1.00	1.00	2.00	2.00	100.0	vhblk
P4414-18	A4F64	16	1.15	8.81	9.96	4.22	34.8	
P4414-19	A4F79	17	1.16	8.66	9.82	4.98	44.1	
P4414-20	A4F80	18	1.16	8.51	9.67	8.07	81.2	
P4414-21	A4F82	19	1.15	8.66	9.81	8.3	82.6	
P4414-22	A4F83	20	1.14	8.81	9.95	7.37	70.7	
P4414-23	A4F86	21	1.18	8.80	9.98	4.06	32.7	
P4414-24	A4F87	22	1.12	8.68	9.8	7.18	69.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$