

Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB132995

Reviewed By: rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4406-01	OK-02-101524	1	100.06	0.00	10/18/2024	09:05
2	P4425-01	TP-1	1	100.06	0.00	10/18/2024	09:12
3	P4425-03	TP-2	1	100.02	0.00	10/18/2024	09:20
4	P4425-05	TP-3	1	100.04	0.00	10/18/2024	09:28
5	P4425-07	TP-4	1	100.06	0.00	10/18/2024	09:35
6	P4425-09	TP-5	1	100.04	0.00	10/18/2024	09:42
7	P4431-01	72-11934	1	100.06	0.00	10/18/2024	09:50
8	P4431-01DUP	72-11934DUP	1	100.06	0.00	10/18/2024	09:57

WORKLIST(Hardcopy Internal Chain)

610132995

WorkList Name : pf-1018

WorkList ID : 184562

Department : Wet-Chemistry

Date : 10-18-2024 08:15:01

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4406-01	OK-02-101524	Solid	Paint Filter	Cool 4 deg C	PSEG05	K41	10/15/2024	9095B
P4425-01	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/16/2024	9095B
P4425-03	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/16/2024	9095B
P4425-05	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/16/2024	9095B
P4425-07	TP-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/16/2024	9095B
P4425-09	TP-5	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/16/2024	9095B
P4431-01	72-11934	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/17/2024	9095B

Date/Time 10/18/2024 08:55
 Raw Sample Received by: RM (wc)
 Raw Sample Relinquished by: RM (wc)

Date/Time 10/18/2024 10:15
 Raw Sample Received by: MWC
 Raw Sample Relinquished by: RM (wc)