



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB133042

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4467-01	TP-1	1	100.04	0.00	10/22/2024	13:30
2	P4467-01DUP	TP-1DUP	1	100.04	0.00	10/22/2024	13:38
3	P4468-03	ETGI-329	1	100.07	0.00	10/22/2024	13:45
4	P4468-05	ETGI-345	1	100.02	0.00	10/22/2024	13:52
5	P4470-01	CL-01-102124	1	100.02	0.00	10/22/2024	14:00
6	P4472-01	BP-F-28	1	100.07	0.00	10/22/2024	14:07
7	P4472-05	BP-F-6	1	100.02	0.00	10/22/2024	14:15

WORKLIST(Hardcopy Internal Chain)

26133042

WorkList Name : pf10-22 WorkList ID : 184652 Department : Wet-Chemistry Date : 10-22-2024 08:34:11

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4467-01	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	K41	10/21/2024	9095B
P4468-03	ETGI-329	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/21/2024	9095B
P4468-05	ETGI-345	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/21/2024	9095B
P4470-01	CL-01-102124	Solid	Paint Filter	Cool 4 deg C	PSEG05	K51	10/21/2024	9095B
P4472-01	BP-F-28	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/21/2024	9095B
P4472-05	BP-F-6	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/21/2024	9095B

Date/Time 10/22/2024 13.20
 Raw Sample Received by: RM CWL
 Raw Sample Relinquished by: (Signature)

Date/Time 10/22/2024 16.05
 Raw Sample Received by: (Signature)
 Raw Sample Relinquished by: RM CWL