

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB133081

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4485-01	D20241001-01-04	1	100.06	0.00	10/23/2024	14:45
2	P4485-01DUP	D20241001-01-04DUP	1	100.06	0.00	10/23/2024	14:52
3	P4486-01	EO-03-102224	1	100.04	0.00	10/23/2024	15:00
4	P4487-01	BP-B5	1	100.02	0.00	10/23/2024	15:07
5	P4487-05	BP-F27	1	100.04	0.00	10/23/2024	15:15
6	P4489-01	RT-2675	1	100.05	0.00	10/23/2024	15:22

WORKLIST(Hardcopy Internal Chain)

6133081

WorkList Name : pf-10-23*

WorkList ID : 184675

Department : Wet-Chemistry

Date : 10-23-2024 08:08:59

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4485-01	D20241001-01-04	Solid	Paint Filter	Cool 4 deg C	PSEG03	K62	10/22/2024	9095B
P4486-01	EO-03-102224	Solid	Paint Filter	Cool 4 deg C	PSEG05	K62	10/22/2024	9095B
P4487-01	BP-B5	Solid	Paint Filter	Cool 4 deg C	PSEG03	K61	10/22/2024	9095B
P4487-05	BP-F27	Solid	Paint Filter	Cool 4 deg C	PSEG03	K61	10/22/2024	9095B
P4489-01	RT-2675	Solid	Paint Filter	Cool 4 deg C	PSEG03	K61	10/22/2024	9095B

Date/Time 10/23/2024 13.50
Raw Sample Received by: RH CWL
Raw Sample Relinquished by: MWL

Date/Time 10/23/2024 16.00
Raw Sample Received by: A GELC
Raw Sample Relinquished by: R14 CWL