



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/25/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 12:30
In Date: 10/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:40
Out Date: 10/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133094

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4498-01	MBHDD1	1	1.15	8.46	9.61	8.15	82.7	
P4498-02	MBHDD2	2	1.15	8.40	9.55	8.15	83.3	
P4498-03	MBHDD8	3	1.16	8.62	9.78	9.32	94.7	
P4498-04	MBHDD9	4	1.15	8.71	9.86	8.99	90.0	
P4498-05	MBHDE0	5	1.15	8.81	9.96	8.72	85.9	
P4498-06	MBHDE1	6	1.12	8.40	9.52	7.54	76.4	
P4498-07	MBHDE2	7	1.15	8.43	9.58	7.75	78.3	
P4498-08	MBHDE8	8	1.14	8.61	9.75	8.61	86.8	
P4498-09	MBHDE9	9	1.12	8.85	9.97	8.51	83.5	
P4498-10	MBHDF0	10	1.15	8.81	9.96	8.79	86.7	
P4498-11	MBHDF0D	11	1.15	8.81	9.96	8.79	86.7	
P4498-12	MBHDF0S	12	1.15	8.81	9.96	8.79	86.7	
P4498-13	MBHDF1	13	1.16	8.40	9.56	8.35	85.6	
P4498-14	MBHDF2	14	1.13	8.60	9.73	8.35	84.0	
P4498-15	MBHCH8	15	1.16	8.64	9.8	8.06	79.9	
P4498-16	MBHCH9	16	1.14	8.59	9.73	8.58	86.6	
P4498-17	MBHCJ0	17	1.16	8.53	9.69	8.06	80.9	
P4498-18	MBHCJ1	18	1.15	8.50	9.65	7.71	77.2	
P4498-19	MBHCJ2	19	1.15	8.77	9.92	7.79	75.7	
P4498-20	MBHCJ3	20	1.15	8.46	9.61	8.5	86.9	
P4498-21	MBHCJ5	21	1.15	8.83	9.98	8.59	84.3	
P4498-22	MBHCJ6	22	1.16	8.49	9.65	8.01	80.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$