



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB133107

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4508-01	TP-3	1	100.05	0.00	10/24/2024	12:20
2	P4508-01DUP	TP-3DUP	1	100.05	0.00	10/24/2024	12:28
3	P4508-05	BP-F23	1	100.02	0.00	10/24/2024	12:35
4	P4508-09	BP-F22	1	100.04	0.00	10/24/2024	12:42
5	P4512-03	VNJ-212	1	100.07	0.00	10/24/2024	12:50
6	P4531-01	OR-03-102424	1	100.02	0.00	10/24/2024	12:57

WORKLIST(Hardcopy Internal Chain)

66133107

WorkList Name : pf-1024

WorkList ID : 184725

Department : Wet-Chemistry

Date : 10-24-2024 08:33:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4508-01	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	K63	10/23/2024	9095B
P4508-05	BP-F23	Solid	Paint Filter	Cool 4 deg C	PSEG03	K63	10/23/2024	9095B
P4508-09	BP-F22	Solid	Paint Filter	Cool 4 deg C	PSEG03	K63	10/23/2024	9095B
P4512-03	VNJ-212	Solid	Paint Filter	Cool 4 deg C	PSEG03	K61	10/23/2024	9095B
P4531-01	OR-03-102424	Solid	Paint Filter	Cool 4 deg C	PSEG05	K61	10/24/2024	9095B

Date/Time 10/24/2024 12:10
 Raw Sample Received by: RM CWG
 Raw Sample Relinquished by: RM CWG

Date/Time 10/24/2024 15:30
 Raw Sample Received by: RM CWG
 Raw Sample Relinquished by: RM CWG