



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 18:15
In Date: 10/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:38
Out Date: 10/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133131

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P4561-01	BP-F-19	1	1.16	8.48	9.64	8.73	89.3	
P4561-02	BP-F-19-EPH	2	1.16	8.50	9.66	8.77	89.5	
P4561-03	BP-F-19-VOC	3	1.15	8.80	9.95	9.16	91.0	
P4561-05	BP-F-18	4	1.15	8.40	9.55	8.36	85.8	
P4561-06	BP-F-18-EPH	5	1.13	8.44	9.57	8.29	84.8	
P4561-07	BP-F-18-VOC	6	1.12	8.71	9.83	8.52	85.0	
P4562-05	SVOC-GPC-BLANK	7	1.00	1.00	2.00	2.00	100.0	
P4562-06	PEST-GPC-BLANK	8	1.00	1.00	2.00	2.00	100.0	
P4562-07	PEST-GPC-BLANK-SPIKE	9	1.00	1.00	2.00	2.00	100.0	
P4562-08	PCB-GPC-BLANK	10	1.00	1.00	2.00	2.00	100.0	
P4562-09	PCB-GPC-BLANK-SPIKE	11	1.00	1.00	2.00	2.00	100.0	
P4562-10	SVOC-GPC2-BLANK	12	1.00	1.00	2.00	2.00	100.0	
P4562-11	PEST-GPC2-BLANK	13	1.00	1.00	2.00	2.00	100.0	
P4562-12	PEST-GPC2-BLANK-SPIKE	14	1.00	1.00	2.00	2.00	100.0	
P4562-13	PCB-GPC2-BLANK	15	1.00	1.00	2.00	2.00	100.0	
P4562-14	PCB-GPC2-BLANK-SPIKE	16	1.00	1.00	2.00	2.00	100.0	
P4563-01	100724-A	26	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-02	100724-B	27	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-03	100724-C	28	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-04	100724-D	29	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-05	100824-A	30	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-06	100924-A	31	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-07	100924-B	32	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-08	101424-A	33	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-09	102324-A	34	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-10	102524-A	35	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-11	FITTING-1	36	1.00	1.00	2.00	2.00	100.0	wipe sample
P4563-12	FITTING-2	37	1.00	1.00	2.00	2.00	100.0	wipe sample



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 18:15
In Date: 10/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:38
Out Date: 10/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133131

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P4565-01	2054	38	1.00	1.00	2.00	2.00	100.0	wipe sample
P4565-02	2055	39	1.00	1.00	2.00	2.00	100.0	wipe sample
P4565-03	2056	40	1.00	1.00	2.00	2.00	100.0	wipe sample
P4565-04	2057	41	1.00	1.00	2.00	2.00	100.0	wipe sample
P4565-05	2058	42	1.00	1.00	2.00	2.00	100.0	wipe sample
P4565-06	2059	43	1.00	1.00	2.00	2.00	100.0	wipe sample
P4566-01	HD-01-102524	44	1.14	8.57	9.71	9.47	97.2	
P4566-02	HD-01-102524-E2	45	1.13	8.84	9.97	9.42	93.8	
P4567-01	WC-1	17	1.16	8.50	9.66	8.89	90.9	
P4567-02	WC-1-EPH	18	1.13	8.67	9.8	8.99	90.7	
P4567-03	WC-1-VOC	19	1.18	8.35	9.53	9.05	94.3	
P4567-05	WC-2	20	1.11	8.58	9.69	8.99	91.8	
P4567-06	WC-2-EPH	21	1.18	8.79	9.97	9.12	90.3	
P4567-07	WC-2-VOC	22	1.16	8.46	9.62	9.46	98.1	
P4567-09	WC-3	23	1.17	8.41	9.58	8.69	89.4	
P4567-10	WC-3-EPH	24	1.19	8.78	9.97	9.17	90.9	
P4567-11	WC-3-VOC	25	1.14	8.82	9.96	9.19	91.3	
P4574-01	GRAVEL-1	50	1.00	1.00	2.00	2.00	100.0	stone sample, 100 % solids
P4574-02	GRAVEL-1-E2	51	1.00	1.00	2.00	2.00	100.0	stone sample, 100 % solids
P4574-04	GRAVEL-2	52	1.00	1.00	2.00	2.00	100.0	stone sample, 100 % solids
P4574-05	GRAVEL-2-E2	53	1.00	1.00	2.00	2.00	100.0	stone sample, 100 % solids
P4574-07	CONCRETE-1	54	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P4574-09	CONCRETE-2	55	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P4574-11	CONCRETE-3	56	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P4575-01	PL-02-102424	57	1.15	8.42	9.57	8.84	91.3	
P4575-02	PL-02-102424-E2	58	1.15	8.83	9.98	8.99	88.8	
P4576-01	1097	59	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
P4576-02	1098	60	1.00	1.00	2.00	2.00	100.0	WIPE Sample



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 18:15
In Date: 10/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:38
Out Date: 10/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133131

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P4577-01	TR-05-102524	61	1.18	8.40	9.58	9.03	93.5	
P4577-02	TR-05-102524-E2	62	1.17	8.53	9.7	9.03	92.1	
P4578-03	WB-305-TOP	46	1.15	8.81	9.96	5.89	53.8	
P4578-04	WB-305-TOP-1	47	1.12	8.82	9.94	6.3	58.7	
P4578-05	WB-305-BOT	48	1.15	8.81	9.96	8.38	82.1	
P4578-07	WB-305-BOT-1	49	1.13	8.86	9.99	9.49	94.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

133131

WorkList Name : %1-102524 WorkList ID : 184773 Department : Wet-Chemistry Date : 10-25-2024 09:56:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4561-01	BP-F-19	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4561-02	BP-F-19-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4561-03	BP-F-19-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4561-05	BP-F-18	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4561-06	BP-F-18-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4561-07	BP-F-18-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4562-05	SVOC-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-06	PEST-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-07	PEST-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-08	PCB-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-09	PCB-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-10	SVOC-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-11	PEST-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-12	PEST-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-13	PCB-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4562-14	PCB-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	K11	10/25/2024	Chemtech -SO
P4563-01	100724-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-02	100724-B	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-03	100724-C	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-04	100724-D	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-05	100824-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO

Date/Time 10/25/24 16:30 Date/Time 10/25/24 Date/Time 10-25-2024
 Raw Sample Received by: 80 wpc Raw Sample Received by: 80 wpc Raw Sample Received by: 80 wpc
 Raw Sample Relinquished by: 80 wpc Raw Sample Relinquished by: 80 wpc Raw Sample Relinquished by: 80 wpc

WORKLIST(Hardcopy Internal Chain)

133131

WorkList Name : %1-102524 WorkList ID : 184773 Department : Wet-Chemistry Date : 10-25-2024 09:56:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4563-06	100924-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-07	100924-B	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-08	101424-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-09	102324-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-10	102524-A	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-11	FITTING-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4563-12	FITTING-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-01	2054	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-02	2055	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-03	2056	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-04	2057	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-05	2058	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4565-06	2059	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4566-01	HD-01-102524	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4566-02	HD-01-102524-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4567-01	WC-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-02	WC-1-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-03	WC-1-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-05	WC-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-06	WC-2-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-07	WC-2-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO

Date/Time 10/25/24 16:30
 Raw Sample Received by: J.C. Jm
 Raw Sample Relinquished by: J.C. Jm

WORKLIST(Hardcopy Internal Chain)

WB133131

WorkList Name : %1-102524

WorkList ID : 184773

Department : Wet-Chemistry

Date : 10-25-2024 09:56:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4567-09	WC-3	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-10	WC-3-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4567-11	WC-3-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	K61	10/25/2024	Chemtech -SO
P4574-01	GRAVEL-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-02	GRAVEL-1-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-04	GRAVEL-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-05	GRAVEL-2-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-07	CONCRETE-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-09	CONCRETE-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4574-11	CONCRETE-3	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4575-01	PL-02-102424	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4575-02	PL-02-102424-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4576-01	1097	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4576-02	1098	Solid	Percent Solids	Cool 4 deg C	PSEG03	K63	10/25/2024	Chemtech -SO
P4577-01	TR-05-102524	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4577-02	TR-05-102524-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	K63	10/25/2024	Chemtech -SO
P4578-03	WB-305-TOP	Solid	Percent Solids	Cool 4 deg C	PORT06	K63	10/25/2024	Chemtech -SO
P4578-04	WB-305-TOP-1	Solid	Percent Solids	Cool 4 deg C	PORT06	K63	10/25/2024	Chemtech -SO
P4578-05	WB-305-BOT	Solid	Percent Solids	Cool 4 deg C	PORT06	K63	10/25/2024	Chemtech -SO
P4578-07	WB-305-BOT-1	Solid	Percent Solids	Cool 4 deg C	PORT06	K63	10/25/2024	Chemtech -SO

Date/Time 10/25/24 16:30
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]

Date/Time 10/25/24 18:30
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]