



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:40
In Date: 10/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:47
Out Date: 10/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133134

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4530-01	F7H26	1	1.18	8.52	9.7	8.41	84.9	
P4530-02	F7H27	2	1.18	8.47	9.65	8.61	87.7	
P4530-04	F7H28	3	1.15	8.83	9.98	9.06	89.6	
P4530-05	F7H29	4	1.15	8.73	9.88	8.7	86.5	
P4530-06	F7H30	5	1.15	8.51	9.66	8.14	82.1	
P4530-07	F7H31	6	1.15	8.83	9.98	9.00	88.9	
P4530-08	F7H32	7	1.15	8.43	9.58	7.87	79.7	
P4530-09	F7H33	8	1.15	8.82	9.97	8.9	87.9	
P4530-10	F7H34	9	1.16	8.51	9.67	8.48	86.0	
P4530-11	F7H38	10	1.17	8.79	9.96	9.24	91.8	
P4530-12	F7H39	11	1.16	8.79	9.95	8.65	85.2	
P4530-13	F7H40	12	1.15	8.55	9.7	8.24	82.9	
P4530-14	F7H41	13	1.15	8.83	9.98	9.17	90.8	
P4530-15	F7H42	14	1.17	8.80	9.97	8.98	88.8	
P4530-16	F7H43	15	1.17	8.38	9.55	8.53	87.8	
P4530-17	F7H44	16	1.18	8.59	9.77	8.83	89.1	
P4556-01	A0BD9	17	1.18	8.72	9.9	8.51	84.1	
P4556-02	A0BE0	18	1.15	8.83	9.98	8.26	80.5	
P4556-03	A0BE1	19	1.18	8.60	9.78	8.06	80.0	
P4556-04	A0BE1MS	20	1.18	8.60	9.78	8.06	80.0	
P4556-05	A0BE1MSD	21	1.18	8.60	9.78	8.06	80.0	
P4556-06	A0BE2	22	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$