



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:50
In Date: 10/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:40
Out Date: 10/27/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133145

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4524-01	MYE4W0	1	1.15	8.82	9.97	9.83	98.4	
P4524-02	MYE4W1	2	1.15	8.70	9.85	9.41	94.9	
P4524-03	MYE4W2	3	1.15	8.39	9.54	9.12	95.0	
P4524-04	MYE4W3	4	1.17	8.50	9.67	9.52	98.2	
P4524-05	MYE4W4	5	1.17	8.60	9.77	9.58	97.8	
P4524-06	MYE4W5	6	1.15	8.54	9.69	9.45	97.2	
P4524-07	MYE4W5D	7	1.15	8.54	9.69	9.45	97.2	
P4524-08	MYE4W5S	8	1.15	8.54	9.69	9.45	97.2	
P4524-09	MYE4W6	9	1.16	8.71	9.87	9.71	98.2	
P4524-10	MYE4W7	10	1.18	8.55	9.73	9.58	98.2	
P4524-11	MYE4Y0	11	1.19	8.52	9.71	9.52	97.8	
P4524-12	MYE4Y1	12	1.18	8.68	9.86	9.44	95.2	
P4524-13	MYE4Y2	13	1.17	8.53	9.7	9.55	98.2	
P4524-14	MYE4Y3	14	1.19	8.55	9.74	9.45	96.6	
P4524-15	MYE4Y4	15	1.17	8.44	9.61	9.18	94.9	
P4524-16	MYE4Y5	16	1.17	8.36	9.53	9.08	94.6	
P4524-17	MYE4Y6	17	1.19	8.34	9.53	9.41	98.6	
P4525-01	MYE4H7	18	1.13	8.50	9.63	9.52	98.7	
P4525-02	MYE4H7D	19	1.13	8.50	9.63	9.52	98.7	
P4525-03	MYE4H7S	20	1.13	8.50	9.63	9.52	98.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$