



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/29/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 12:35
In Date: 10/28/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 10/29/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133161

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4497-01	MBHCY5	1	1.15	8.39	9.54	7.96	81.2	
P4497-02	MBHCZ5	2	1.16	8.50	9.66	8.56	87.1	
P4497-03	MBHDA3	3	1.18	8.44	9.62	8.66	88.6	
P4497-04	MBHDA4	4	1.15	8.53	9.68	8.25	83.2	
P4497-05	MBHDA5	5	1.19	8.62	9.81	8.51	84.9	
P4497-06	MBHDA6	6	1.13	8.75	9.88	8.48	84.0	
P4497-07	MBHDA7	7	1.15	8.41	9.56	8.00	81.5	
P4497-08	MBHDB3	8	1.16	8.71	9.87	8.85	88.3	
P4497-09	MBHDB4	9	1.14	8.62	9.76	8.28	82.8	
P4497-10	MBHDB5	10	1.13	8.74	9.87	8.68	86.4	
P4497-11	MBHDB6	11	1.18	8.43	9.61	8.32	84.7	
P4497-12	MBHDB7	12	1.18	8.63	9.81	8.4	83.7	
P4497-13	MBHDB8	13	1.12	8.72	9.84	8.97	90.0	
P4497-14	MBHDB9	14	1.15	8.74	9.89	8.83	87.9	
P4497-15	MBHDC0	15	1.19	8.54	9.73	8.46	85.1	
P4497-16	MBHDC1	16	1.16	8.48	9.64	8.11	82.0	
P4497-17	MBHDC2	17	1.19	8.52	9.71	8.42	84.9	
P4497-18	MBHDC8	18	1.19	8.42	9.61	8.97	92.4	
P4497-19	MBHDC9	19	1.18	8.50	9.68	8.91	90.9	
P4497-20	MBHDD0	20	1.17	8.53	9.7	8.37	84.4	
P4497-21	MBHDD0D	21	1.17	8.53	9.7	8.37	84.4	
P4497-22	MBHDD0S	22	1.17	8.53	9.7	8.37	84.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$