

Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB133231

Reviewed By: rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4639-01	EO-01-103024	1	100.05	0.00	10/31/2024	08:40
2	P4639-01DUP	EO-01-103024DUP	1	100.05	0.00	10/31/2024	08:48
3	P4639-03	EO-02-103024	1	100.07	0.00	10/31/2024	08:55
4	P4640-01	MH-3	1	100.02	0.00	10/31/2024	09:02
5	P4643-01	BP-F9-ADDITIONAL	1	100.07	0.00	10/31/2024	09:10
6	P4643-05	BP-F8	1	100.06	0.00	10/31/2024	09:18
7	P4643-09	TP-9	1	100.04	0.00	10/31/2024	09:25
8	P4645-01	Z-02-WC	1	100.02	0.00	10/31/2024	09:32

WORKLIST(Hardcopy Internal Chain)

61323231

WorkList Name : pf-1031

WorkList ID : 184984

Department : Wet-Chemistry

Date : 10-31-2024 08:06:36

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4639-01	EO-01-103024	Solid	Paint Filter	Cool 4 deg C	PSEG03	K61	10/30/2024	9095B
P4639-03	EO-02-103024	Solid	Paint Filter	Cool 4 deg C	PSEG03	K61	10/30/2024	9095B
P4640-01	MH-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	K61	10/30/2024	9095B
P4643-01	BP-F9-ADDITIONAL	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/30/2024	9095B
P4643-05	BP-F8	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/30/2024	9095B
P4643-09	TP-9	Solid	Paint Filter	Cool 4 deg C	PSEG03	K51	10/30/2024	9095B
P4645-01	Z-02-WC	Solid	Paint Filter	Cool 4 deg C	PSEG03	K63	10/31/2024	9095B

Date/Time 10/31/2024 08:30
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: No (CWC)

Date/Time 10/31/2024 11:50
 Raw Sample Received by: JPL
 Raw Sample Relinquished by: RM (CWC)