



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 11/6/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 11/05/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/06/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133300

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P4452-04	ETGI-285	1	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P4706-01	TR-04-110424	2	1.16	8.71	9.87	9.3	93.5	
P4706-02	TR-04-110424-E2	3	1.17	8.55	9.72	8.81	89.4	
P4707-01	HD-02-110424	4	1.18	8.57	9.75	9.21	93.7	
P4707-02	HD-02-110424-E2	5	1.14	8.40	9.54	9.07	94.4	
P4708-01	OR-02-110424	6	1.15	8.66	9.81	9.26	93.6	
P4708-02	OR-02-110424-E2	7	1.19	8.76	9.95	9.39	93.6	
P4709-01	HR-02-110424	8	1.16	8.71	9.87	8.79	87.6	
P4709-02	HR-02-110424-E2	9	1.14	8.82	9.96	8.76	86.4	
P4709-03	HR-03-110424	10	1.15	8.83	9.98	9.32	92.5	
P4709-04	HR-03-110424-E2	11	1.19	8.48	9.67	8.9	90.9	
P4718-01	WB-307-SB01	12	1.17	8.40	9.57	7.72	78.0	
P4718-02	WB-307-SB02	13	1.15	8.83	9.98	8.00	77.6	
P4719-01	BAYAVE-STOCKPILE	14	1.16	8.48	9.64	9.42	97.4	
P4719-02	BAYAVE-STOCKPILE-E2	15	1.17	8.67	9.84	9.3	93.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$