

## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB133357

BalanceID: WC SC-4

| Seq | LabID       | ClientID       | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|----------------|----------|-----------|------------------------|------------|-----------|
| 1   | P4734-01    | EO-03-11062024 | 1        | 100.04    | 0.00                   | 11/08/2024 | 10:15     |
| 2   | P4737-01    | TP2            | 1        | 100.02    | 0.00                   | 11/08/2024 | 10:22     |
| 3   | P4739-01    | TP-14          | 1        | 100.06    | 0.00                   | 11/08/2024 | 10:30     |
| 4   | P4739-05    | BP-G2          | 1        | 100.02    | 0.00                   | 11/08/2024 | 10:37     |
| 5   | P4739-09    | BP-B2          | 1        | 100.07    | 0.00                   | 11/08/2024 | 10:45     |
| 6   | P4739-13    | TP-11          | 1        | 100.04    | 0.00                   | 11/08/2024 | 11:00     |
| 7   | P4739-13DUP | TP-11DUP       | 1        | 100.04    | 0.00                   | 11/08/2024 | 11:07     |

# WORKLIST(Hardcopy Internal Chain)

6133357

WorkList Name : PF-1107      WorkList ID : 185211      Department : Wet-Chemistry      Date : 11-07-2024 11:47:41

| Sample   | Customer Sample | Matrix | Test         | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|--------------|--------------|----------|-----------------------------|--------------|--------|
| P4734-01 | EO-03-11062024  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | L23                         | 11/06/2024   | 9095B  |
| P4737-01 | TP2             | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L23                         | 11/05/2024   | 9095B  |
| P4739-01 | TP-14           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L21                         | 11/06/2024   | 9095B  |
| P4739-05 | BP-G2           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L21                         | 11/06/2024   | 9095B  |
| P4739-09 | BP-B2           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L21                         | 11/06/2024   | 9095B  |
| P4739-13 | TP-11           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L21                         | 11/06/2024   | 9095B  |

Date/Time 11/08/2024  
 Raw Sample Received by: RM  
 Raw Sample Relinquished by: McCreary

Date/Time 11/08/2024  
 Raw Sample Received by: McCreary  
 Raw Sample Relinquished by: RM