



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 11/11/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:25
In Date: 11/09/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:55
Out Date: 11/10/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB133373

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4750-01	MBH9C6	1	1.12	8.77	9.89	8.6	85.3	
P4750-02	MBH9C7	2	1.12	8.78	9.9	8.53	84.4	
P4750-03	MBH9C8	3	1.15	8.81	9.96	8.68	85.5	
P4750-04	MBH9D0	4	1.15	8.43	9.58	8.43	86.4	
P4750-05	MBH9D1	5	1.18	8.45	9.63	8.45	86.0	
P4750-06	MBH9D2	6	1.19	8.53	9.72	8.41	84.6	
P4750-07	MBH9D8	7	1.16	8.83	9.99	8.78	86.3	
P4750-08	MBH9D9	8	1.15	8.82	9.97	9.36	93.1	
P4750-09	MBH9E0	9	1.12	8.56	9.68	8.34	84.3	
P4750-10	MBH9E2	10	1.14	8.80	9.94	8.32	81.6	
P4750-11	MBH9E3	11	1.15	8.83	9.98	8.91	87.9	
P4750-12	MBH9E4	12	1.19	8.39	9.58	8.41	86.1	
P4750-13	MBH9E6	13	1.17	8.58	9.75	8.79	88.8	
P4750-14	MBH9E6D	14	1.17	8.58	9.75	8.79	88.8	
P4750-15	MBH9E6S	15	1.17	8.58	9.75	8.79	88.8	
P4750-16	MBH9E7	16	1.16	8.63	9.79	8.46	84.6	
P4750-17	MBH9E8	17	1.16	8.52	9.68	8.33	84.2	
P4750-18	MBH9G2	18	1.12	8.57	9.69	8.91	90.9	
P4750-19	MBH9G3	19	1.12	8.85	9.97	8.91	88.0	
P4750-20	MBH9G4	20	1.16	8.49	9.65	8.46	86.0	
P4750-21	MBH9G7	21	1.19	8.63	9.82	8.92	89.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$