



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB133453

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P4821-01	BP-F-24	1	100.05	0.00	11/14/2024	13:20
2	P4821-01DUP	BP-F-24DUP	1	100.05	0.00	11/14/2024	13:28
3	P4821-05	BP-F-2	1	100.03	0.00	11/14/2024	13:35
4	P4823-01	MH-4	1	100.02	0.00	11/14/2024	13:42
5	P4825-01	STOCK-PILE	1	100.05	0.00	11/14/2024	13:50
6	P4833-01	MH-731	1	100.06	0.00	11/14/2024	13:58
7	P4833-05	TP-2	1	100.02	0.00	11/14/2024	14:05

WORKLIST(Hardcopy Internal Chain)

6133453

WorkList Name : pf-11-14

WorkList ID : 185431

Department : Wet-Chemistry

Date : 11-14-2024 10:01:23

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4821-01	BP-F-24	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/12/2024	9095B
P4821-05	BP-F-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/12/2024	9095B
P4823-01	MH-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	L21	11/12/2024	9095B
P4825-01	STOCK-PILE	Solid	Paint Filter	Cool 4 deg C	PSEG03	L21	11/12/2024	9095B
P4833-01	MH-731	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/13/2024	9095B
P4833-05	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/13/2024	9095B

Date/Time 11/14/2024 13:10
 Raw Sample Received by: RM Cury
 Raw Sample Relinquished by: SP (RM)

Date/Time 11/14/2024 14:26
 Raw Sample Received by: SP (RM)
 Raw Sample Relinquished by: RM Cury