



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 11/18/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 16:15
In Date: 11/15/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/16/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133472

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4880-01	MBHH78	1	1.14	8.55	9.69	7.76	77.4	
P4880-02	MBHH79	2	1.15	8.80	9.95	9.00	89.2	
P4880-03	MBHH80	3	1.15	8.78	9.93	8.16	79.8	
P4880-04	MBHH81	4	1.15	8.43	9.58	7.97	80.9	
P4880-05	MBHH82	5	1.19	8.52	9.71	7.57	74.9	
P4880-06	MBHH83	6	1.19	8.43	9.62	8.42	85.8	
P4880-07	MBHH84	7	1.15	8.81	9.96	9.00	89.1	
P4880-08	MBHH85	8	1.14	8.81	9.95	8.2	80.1	
P4880-09	MBHH86	9	1.13	8.74	9.87	7.79	76.2	
P4880-10	MBHH87	10	1.13	8.56	9.69	7.78	77.7	
P4880-11	MBHH88	11	1.15	8.61	9.76	7.74	76.5	
P4880-12	MBHH89	12	1.12	8.75	9.87	8.8	87.8	
P4880-13	MBHH90	13	1.16	8.52	9.68	7.79	77.8	
P4880-14	MBHH91	14	1.17	8.61	9.78	8.14	81.0	
P4880-15	MBHH91D	15	1.17	8.61	9.78	8.14	81.0	
P4880-16	MBHH91S	16	1.17	8.61	9.78	8.14	81.0	
P4880-17	MBHH92	17	1.15	8.59	9.74	7.8	77.4	
P4880-18	MBHH93	18	1.19	8.62	9.81	7.7	75.5	
P4880-19	MBHH94	19	1.15	8.54	9.69	8.53	86.4	
P4880-20	MBHH95	20	1.15	8.84	9.99	7.35	70.1	
P4880-21	MBHH96	21	1.18	8.38	9.56	5.23	48.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$