



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB133503

BalanceID: WC SC-4

| Seq | LabID       | ClientID          | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|-------------------|----------|-----------|------------------------|------------|-----------|
| 1   | P4869-01    | EO-02-11152024    | 1        | 100.04    | 0.00                   | 11/18/2024 | 16:50     |
| 2   | P4869-01DUP | EO-02-11152024DUP | 1        | 100.04    | 0.00                   | 11/18/2024 | 16:58     |
| 3   | P4887-01    | MH-739            | 1        | 100.06    | 0.00                   | 11/18/2024 | 17:05     |
| 4   | P4887-05    | MH-760            | 1        | 100.03    | 0.00                   | 11/18/2024 | 17:12     |
| 5   | P4889-01    | VNJ-228           | 1        | 100.02    | 0.00                   | 11/18/2024 | 17:20     |
| 6   | P4889-03    | #72-11978         | 1        | 100.05    | 0.00                   | 11/18/2024 | 17:27     |
| 7   | P4889-05    | #72-11930         | 1        | 100.02    | 0.00                   | 11/18/2024 | 17:35     |
| 8   | P4893-01    | MH-763            | 1        | 100.02    | 0.00                   | 11/18/2024 | 17:42     |
| 9   | P4893-05    | MH-762            | 1        | 100.05    | 0.00                   | 11/18/2024 | 17:50     |

# WORKLIST(Hardcopy Internal Chain)

LB 133503

WorkList Name : PF-11-18

WorkList ID : 185537

Department : Wet-Chemistry

Date : 11-18-2024 13:19:53

| Sample   | Customer Sample | Matrix | Test         | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|--------------|--------------|----------|-----------------------------|--------------|--------|
| P4887-01 | MH-739          | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | M11                         | 11/15/2024   | 9095B  |
| P4887-05 | MH-760          | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | M11                         | 11/15/2024   | 9095B  |
| P4889-01 | VNJ-228         | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | M11                         | 11/15/2024   | 9095B  |
| P4889-03 | #72-11978       | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | M11                         | 11/15/2024   | 9095B  |
| P4889-05 | #72-11930       | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | M11                         | 11/15/2024   | 9095B  |
| P4893-01 | MH-763          | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | M11                         | 11/15/2024   | 9095B  |
| P4893-05 | MH-762          | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L51                         | 11/16/2024   | 9095B  |
| P4869-01 | EO-02-11152024  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | M11                         | 11/16/2024   | 9095B  |

Date/Time 11/18/2024 16:40  
 Raw Sample Received by: RM (wr)  
 Raw Sample Relinquished by: RM (wr)

Date/Time 11/18/2024 18:00  
 Raw Sample Received by: RM (wr)  
 Raw Sample Relinquished by: RM (wr)